

SAFETY DATA SHEET



DATE ISSUED :	8/7/2018
SDS REF. No :	6G61-WHE12426

6G61-WHE12426 WHITE SEMI GLOSS REGLAZING POLYURETHANE

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 6G61-WHE12426 WHITE SEMI GLOSS REGLAZING POLYURETHANE

PRODUCT CODE: 6G61-WHE12426
PRODUCT USE: Industrial Solventborne Paint

MANUFACTURER
Cardinal Industrial Finishes
1329 Potrero Ave

S. El Monte, CA,
626 444-9274

24 HR. EMERGENCY TELEPHONE NUMBER
CHEMTREC (US Transportation): (800)424-9300
CHEMTREC (International Transportation) : 1(202)483-7616
WEB: WWW.CARDINALPAINT.COM

2. HAZARDS IDENTIFICATION

PICTOGRAMS



SIGNAL WORD : DANGER

HAZARD STATEMENTS :

H226 Flammable liquid and vapor.
H302+H312+H332 Harmful if swallowed, in contact with skin or inhaled.
H315 Causes skin irritation.
H318 Serious eye damage
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360 May damage fertility or unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS :

P233 Keep container tightly closed
P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P403 Store in a well-ventilated place.
P501 Dispose in accordance with Local, Regional, State, Federal and International regulations.
R40 Limited evidence of a carcinogenic effect.
S36 Wear suitable protective clothing.
S37 Wear suitable gloves.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	
---------------	----------	------------	--

Acetone	30% - 35%	67-64-1	
Titanium Dioxide	10% - 15%	13463-67-7	
Talc	5% - 10%	14807-96-6	
Phenylethane	0.10% - 0.50%	100-41-4	
Crystalline Silica	0.10% - 0.50%	14808-60-7	

4. FIRST AID MEASURES

Description of first aid measures.

EYES CONTACT : Flush with large quantities of water for 15 to 30 minutes. Remove contact lenses. Keep eyes wide open while rising. If eye irritation persists: Get medical attention.

SKIN CONTACT : Wash exposed area with mild soap and water for 15 to 30 minutes. Remove contaminated clothing. Repeated exposure may cause dryness or cracking.

INGESTION : Rinse mouth. Do NOT induce vomiting. Keep victim warm and seek immediate attention.

INHALATION : Remove to fresh air and keep in a position comfortable to breath. Call a doctor/physician if you feel unwell. Get medical attention.

Most important symptoms and effects, both acute and delayed. Symptoms/injuries: Eye irritation

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Cause serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed.

If medical advise is needed, have product container or label on hand.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : In the event of a fire, use specifically suitable extinguishing agents. Suitable extinguishing media: Foam, alcohol resistant foam, CO₂, water fog. Unsuitable extinguishing media: Do not use heavy water stream. A heavy water stream may spread burning liquid.

FIRE FIGHTING PROCEDURE : Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

UNUSUAL FIRE AND EXPLOSION HAZARD : Fire hazard: Highly flammable/liquid or vapor.

Explosive hazard: May form flammable/explosive vapor-air mixture.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :

General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

FOR NON-EMERGENCY PERSONNEL :

For non-Emergency procedures: Evacuate unnecessary personnel.

FOR EMERGENCY RESPONDERS :

Equip cleanup crew with proper protection. Avoid breathing fume, vapors.

ENVIRONMENTAL PRECAUTIONS :

Prevent entry to sewers and public waters.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP :

Collect damaged aerosols and use absorbent and/or inert material, then place in suitable container.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING : Additional hazards when processed: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area to prevent formation of vapor. No smoking. Use only non-sparking tools. Use outdoors or in a well ventilated area. Avoid breathing fume, vapors.

Hygiene measures: Wash Skin thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES : Storage conditions: Store in a dry, cool and well-ventilated place away from: Heat sources. Direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight. Heat Sources.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Acetone(67-64-1)		
USA ACGIH	ACGIH STEL TLV	750 ppm
USA ACGIH	ACGIH TWA TLV	500 ppm
USA NIOSH	NIOSH STEL (Table Z-1)	1,000 ppm, 2,400 mg/m3
USA NIOSH	NIOSH TWA	250 ppm, 590 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	1,000 ppm, 2,400 mg/m3
Aluminum Hydroxide(21645-51-2)		
USA ACGIH	ACGIH (TLV) TWA	10 mg/m3 (Total dust), 3 mg/m3 (Respirable fraction)
USA OSHA	OSHA (PEL) TWA	15 mg/m3 (Tptal dust), 5 mg/m3 (Respirable fraction)
Benzene(71-43-2)		
USA ACGIH	ACGIH STEL	2.5 ppm
USA ACGIH	ACGIH TWA	0.5 ppm
USA OSHA	OSHA CARC PEL	1 ppm
USA OSHA	OSHA CARC STEL	5 ppm
USA OSHA	OSHA CIEL (Table Z-1-A)	5 ppm
USA OSHA	OSHA STEL	5 ppm
USA OSHA	OSHA TWA (Table Z-1-A)	1 ppm
Calcium Carbonate(1317-65-3)		
USA NIOSH	NIOSH (TWA)	10 mg/m3, (Respirable dust)
USA NIOSH	NIOSH (TWA)	10 mg/m3, (Total dust)
USA OSHA	OSHA (TWA)	15 mg/m3, (Total dust)
USA OSHA	OSHA (TWA)	5 mg/m3, (Respirable fraction)
Crystalline Silica(14808-60-7)		
USA ACGIH	ACGIH (TLV) TWA	.025 mg/m3
Cumene(98-82-8)		
USA ACGIH	ACGIH (TLV) TWA	50 ppm
USA NIOSH	NIOSH (TWA) REL	50 ppm, 245 mg/m3
USA OSHA	OSHA (TWA) Table Z-1	50 ppm, 245 mg/m3
Cyclohexanone(108-94-1)		
USA ACGIH	ACGIH (TLV) STEL	50 ppm
USA ACGIH	ACGIH (TLV) TWA	20 ppm
USA NIOSH	NIOSH (TLV) TWA	25 ppm, 100 mg/m3
USA OSHA	OSHA (OEL) Table Z-1 TWA	50 ppm, 200 mg/m3
Dibutyltin Dilaurate(77-58-7)		
USA ACGIH	ACGIH STEL	0.2 mg/m3
USA ACGIH	ACGIH TWA	0.1 mg/m3
USA NIOSH	NIOSH REL	0.1 mg/m3
USA OSHA	OSHA PEL (Table Z-1)	0.1 mg/m3
USA OSHA	OSHA TWA (Table Z-1A)	0.1 mg/m3
Ethylene glycol mono phenyl ether(122-99-6)		
USA ACGIH	ACGIH	No data available.
USA OSHA	OSHA	No data available.
Isobutyl Alcohol(78-83-1)		
USA ACGIH	ACGIH TWA	50 ppm
USA OSHA	OSHA PEL	100 ppm, 300 mg/m3
Methyl Amyl Ketone(110-43-0)		
USA ACGIH	ACGIH TLV TWA	50 ppm
USA OSHA	OSHA PEL (Table Z-1)	100 ppm, 465 mg/m3

n-Methyl-2-pyrrolidone(872-50-4)		
USA ACGIH	ACGIH PEL	N/E
USA OSHA	OSHA TWA	N/E
Phenylethane(100-41-4)		
USA ACGIH	ACGIH STEL	125 ppm
USA ACGIH	ACGIH TWA	20 ppm
USA NIOSH	NIOSH REL	100 ppm, 435 mg/m3
USA NIOSH	NIOSH REL (ST)	125 ppm, 545 mg/m3
USA OSHA	OSHA STEL	125 ppm, 545 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	100 ppm, 435 mg/m3
Styrene(100-42-5)		
USA ACGIH	ACGIH STEL (ppm)	40 ppm
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA TWA (ppm)	100 ppm
Talc(14807-96-6)		
USA ACGIH	ACGIH (TLV) TWA	2 mg/m3
USA NIOSH	NIOSH (REL) TWA	2 mg/m3
USA OSHA	OSHA (Table Z-3) Mineral Dusts TWA	20 Million particles per cubic foot.
Titanium Dioxide(13463-67-7)		
PEL (Permissible Exposure Limit)	OSHA TWA	15 mg/m3
TLV	ACGIH TWA	10 mg/m3
Toluene(108-88-3)		
USA ACGIH	ACGIH TWA	20 ppm
USA NIOSH	NIOSH REL (ST)	150 ppm, 560 mg/m3
USA NIOSH	NIOSH REL TWA	100 ppm, 375 mg/m3
USA OSHA	OSHA STEL (PO)	150 ppm, 560 mg/m3
USA OSHA	OSHA TWA (PO)	100 ppm, 375 ppm
USA OSHA	OSHA TWA (Table Z-2)	200 ppm
Xylene(1330-20-7)		
USA ACGIH	ACGIH STEL	150 ppm
USA ACGIH	ACGIH TWA	100 ppm
USA OSHA	OSHA TWA (Table Z-1)	100 PPM, 435 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : If TLV of the product or any component is exceeded, a NIOSH approved dust respirator is advised in absence of environmental control. OSHA Regulations also permit other NIOSH dust respirators under specified conditions. (See your Safety Equipment Supplier) Engineering or administrative controls should be implemented to reduce exposure.

HAND PROTECTION REMARKS : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

EYES PROTECTION : Eye wash bottle with pure water.
Tightly fitting safety goggles.
Where face-shield and protective suit for abnormal processing problems.

SKIN AND BODY PROTECTION : Wear impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

WORK HYGIENIC PRACTICES: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Color	:	Various colors depending on the pigmentation.
Odor	:	Characteristic. Sweet. Mint like.
Odor threshold	:	No data available.
Ph	:	N/A - See Technical Data Sheet
Evaporation rate	:	Slower Than Ether
Melting point	:	-94.7 C (-138.46 F)
Freezing point	:	No data available.
Boiling point	:	133.0 deg F TO 281.0 deg F
Flash point	:	-4.00
Lower explosion limit	:	.8
Upper explosion limit	:	12.8
Vapor pressure	:	185 mm Hg

Vapor density	:	Heavier than air
Relative density	:	No data available.
Density	:	10.9128
Solubility	:	No data available.
Partion coefficient: n-octanol/water	:	No data available.
Autoignition temperature	:	No data available.
Decomposition temperature	:	No data available.

10. STABILITY AND REACTIVITY

REACTIVITY : No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY : Stable under normal conditions.

CONDITIONS TO AVOID : Heat, flames and sparks. Extremely high temperatures and direct sunlight.

INCOMPATIBLE MATERIALS : Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. TOXICOLOGICAL INFORMATION

Acetone(67-64-1)	
Aspiration toxicity	Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above TLV value may cause narcotic effects., Solvents may degrease the skin.
Carcinogenicity	Species: mouse, (female), Application Route: Dermal; Exposure time: .365 d (90%) or 424 d (100%), Dose: 0.1ml 90(71mg) or 100% (79mg), Frequency of Treatment: 3 times a wk, NOAEL: 79; Result: did not display carcinogenic properties., Carcinogenicity-Assessment: Not classified as a human carcinogen.
Germ cell mutagenicity	Test Type: mammalian cell gene mutation assay. Test species: Mouse Lymphoma, Metabolic activation: Without metabolic activation; Method: OECD Guideline 476; Result: negative; Test Type: Ames test, Metabolic activation: Without metabolic activation; Method: OECD Guideline 471; Result: negative, Test Type: Chromosome aberration test in vitro, Test species: Chinese hamster ovary (CHO), Metabolic activation: Without metabolic activation; Method: OECD Guideline 473; Result: negative; Genotoxicity in vivo: Test Type: I vivo micronucleus test. Test species: Mouse, Application Route: Oral, Exposure: 13 wk, Dose: 5,000, 10,000, 20,000 ppm, Result: negative
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat) Inhalation	76 mg/l (4 h exposure)
LD50 (rat) Oral	5,800 mg/kg; Symptoms: tremors
LD50 Dermal	>7,426 mg/kg
Repeated dose exposure	Species: mouse, male, NOAEL: 20,000, Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available.; Species: mouse, female, NAOEL 20000, LAOEL: 50000; Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available; Repeated dose toxicity Assessment: causes mild skin irritation., Causes serious eye irritation.
Reproductive toxicity	Effects on fertility: Species: rat, male; Application Route: oral; Dose: 0, 5,000, 10,000 mg/l; Frequency of Treatment: 7 days/week; General Toxicity - Parent: LOAEL: 10,000; Fertility: 10,000; Effects on fetal development: Species: rat; Application Route: Inhalation; Dose: 0, 440, 2200, 11,000 ppm; Frequency of Treatment: 7 days/week; General Toxicity Material: NOAEC: 2,200 ppm; Tetragenicity: NOAEC: 2,200 ppm; Embryo-fetal toxicity: NOAEC: 2,200 ppm; Result: No teratogenic potential. GLP: No data available.; Reproductive toxicity Assessment: Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitisation	Test type: Maximization test, Species: guinea pig, Assessment: Does not cause skin sensitization. Result: Did not cause sensitization on laboratory animals.
Serious eye damage/eye irritation	Species: rabbit, Result : Slightly irritating to eyes, Exposure time: 24 h, Classification: Irritating to eyes, Remarks: Eye irritation.
Skin corrosion/irritation	Species: rabbit, Exposure time: 24 h, Classification: Not irritating to skin, Method: In vivo, Result: Mild irritation, Remarks: Repeated or prolonged contact with the mixture may cause removal natural fat from the skin resulting in desiccation of the skin.
STOT - single exposure	Exposure routes: Inhalation (vapour); Assessment: May cause drowsiness or dizziness.
STOT- repeated exposure	No data available.

Aluminum Hydroxide(21645-51-2)	
Additional Information	RTECS: BD0940000 Nausea, Vomiting, and Constipation.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Dermal	No data available.
Germ cell mutagenicity	Mouse lymphocyte Result- negative Mutagenicity (micronucleus test) Rat - male Result: negative
Inhalation	No data available.
LD50 Oral - Rat - female - Acute toxicity	>5,000 mg/kg, Oral - Rat - female
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Maximization Test (GPMT) - Guinea pig Result- Does not cause skin sensitization.(OECD Test Guideline 406)
Serious eye damage/eye irritation	Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Amorphous Silica(7631-86-9)	
Additional toxicological information	The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and information provided to us.
Irritant of skin	Not irritating (rabbit) (OCED 404)
Irritant of eyes	Not irritating (rabbit) (OCED 405)
LC0 - Inhalative	>140->2000 mg/m3 / 4 h (Rat) (OCED 403)
LD50 - Dermal - Rabbit	>5000 mg/kg (Rabbit)
LD50 - Oral - Rat	>5000 mg/kg (Rat) (OECD 401)
Other information - Oral	=> 1340 mg/kg/day
Sensitization	Not sensitizing (guinea pig) (OCED 406)
BENZENE(71-43-2)	
Aspiration toxicity	May be fatal if swallowed and enters airways. Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity hazard.
Carcinogenicity	Species: rat Sex: female Dose: 0, 25, 50, 250 mg/kg Exposure time: 103 wks Number of exposures: daily, 5 days/week Test substance: yes Remarks: zymbal gland carcinomas, squamous cell papillomas Species: rat Sex: male Dose: 0, 50, 100, 200 mg/kg Exposure time: 103 wks Number of exposures: daily, 5 days/week Test substance: yes Remarks: zymbal gland carcinomas, squamous cell papillomas Species: mouse Sex: male and female Dose: 25, 50, 100 mg/kg Exposure time: 103 wks Number of exposures: daily, 5 days/week Test substance: yes Remarks: Clear evidence of multiple organ carcinogenicity.
CMR effects	Carcinogenicity: Human carcinogen. Mutagenicity: In vivo tests showed mutagenic effects Teratogenicity: Did not show teratogenic effects in animal experiments. Reproductive toxicity: Animal testing did not show any effects on fertility.
Eye irritation	May cause irreversible eye damage.
Further information	Chronic Health Hazard. Solvents may degrease the skin.
LC50 Dermal	44.5 mg/l Exposure time: 4 h Species: rat Sex: Not Specified Test atmosphere: vapor
LD50	> 8,260 mg/kg Species: rabbit
LD50 Oral	> 2,000 mg/kg Species: rat Sex: female
Repeated dose toxicity	Species: rat, female Sex: female. Application Route: oral gavage Dose: 0, 25, 50, 100 mg/kg Exposure time: 103 wk Number of exposures: 5 d/wk NOEL: < 25 mg/kg Lowest observable effect level: 25 mg/kg Species: rat, male Sex: male Application Route: oral gavage Dose: 0, 50, 100, 200 mg/kg Exposure time: 103 wk Number of exposures: 5 d/wk NOEL: < 50 mg/kg Lowest observable effect level: 50 mg/kg Species: mouse Application Route: oral gavage Dose: 0, 25, 50,100 mg/kg Exposure time: 103 wk NOEL: < 25 mg/kg
Sensitization	Did not cause sensitization on laboratory animals.
Skin irritation	May cause skin irritation in susceptible persons.
Crystalline Silica(14808-60-7)	

Acute toxicity - Dermal	No data available.
Acute toxicity - Inhalation	No data available.
Additional Information	RTECS: VV7330000 Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis. In advanced stages, loss of appetite, pleuritic pain, and total incapacity to work. Advanced silicosis may result in death due to cardiac failure or destruction of lung tissue. Crystalline silica is classified as group 1 "known to be carcinogenic to humans" by IARC and "sufficient evidence" of carcinogenicity by the NTP., The chronic health risks are associated with respirable particles of 3-4 um over protracted periods of time. Currently, there is a limited understanding of the mechanisms of quartz toxicity, including its mechanisms for lung carcinogenicity.
Additional Information (cont.)	Additional studies are needed to determine whether the cell transforming activity of quartz is related to its carcinogenic potential. Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence.
Aspiration hazard	No data available.
Carcinogenicity	Limited evidence of carcinogenicity in human studies IARC: 1 - Group 1: Carcinogenic to humans (Quartz) ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: Known to be human carcinogen (Quartz) OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ Cell mutagenicity	No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	No data available.
Skin corrosion/irritation	No data available.
Specific target organ toxicity - repeated exposure	Inhalation - May cause damage to organs through prolonged or repeated exposure.
Specific target organ toxicity - single exposure	No data available.
Cumene(98-82-8)	
Additional Information	RTECS: GR8575000
Aspiration hazard	No data available.
Carcinogenicity	Carcinogenicity IARC: 2B - Group 2B: Possibly carcinogenic to humans (Cumene) ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Dermal	No data available.
Germ cell mutagenicity	invitro assay, S. typhimurium, Result: negative
Inhalation:	No data available.
LD50 Oral - Rat - Acute toxicity	2,260 mg/kg,
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Guinea pig - Result: No skin irritation. (OECD Test Guideline 406)
Serious eye damage/eye irritation	Eyes - Rabbit Result: No skin irritation. (OECD Test Guideline 405)
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation. (OECD Test Guideline 404)
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Cyclohexanone(108-94-1)	
Aspiration hazard	Solvent may degrease the skin.
Carcinogenicity	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Cyclohexanone) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

	NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	Not mutagenic in Ames Test Ames test S. typhimurium Result: negative Human fibroblast Result: Laboratory experiments have shown mutagenic effects.
LC50 Inhalation - Rat	> 6.2 mg/l Rat - (4 h)
LD50 Dermal - Rabbit	794 - 3,160 mg/kg
LD50 Oral - Rat - Acute toxicity	1534 mg/kg (Rat), Method: Standard Acute.
Reproductive toxicity	Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.
Respiratory or skin sensitization	Test type: Maximization Test (GPMT), Species: guinea pig, Assessment: Does not cause skin sensitization. Method: In vivo, Result: Does not cause skin sensitization.
Serious eye damage/eye irritation	Eyes - Rabbit Result: Risk of serious damage to eyes, 24 h
Skin corrosion/irritation	Skin - Rabbit Result: Irritating to skin. (OECD Test Guideline 404)
Specific target organ toxicity - repeated exposure	Harmful if swallowed., Harmful in contact with skin., Harmful if inhaled., Causes skin irritation., Causes serious eye damage.
Specific target organ toxicity - single exposure	No data available Acute inhalation toxicity - Breathing difficulties
Dibutyltin Dilaurate(77-58-7)	
Chronic Health Hazard	Dibutyltin compounds have shown reproductive and immunotoxic effects in laboratory animals. Abnormalities noted at necropsy of animals treated with 2000 mg/kg of dibutyltin dilaurate were hemorrhagic lungs, dark liver, dark kidneys, hemorrhage of gastric mucosa, hemorrhage of the large and small intestines, enlarged bile duct and behavioral and central nervous system effects. Decreased fertility was seen in hens following dietary administration equal to 78 mg/kg.
Eye irritation/corrosion	Severe eye irritation.
Inhalation	No data is available on the product itself.
LD50 - Rabbit (Dermal)	> 2,000 mg/kg, Method : Estimated.
LD50 - Rat (Ingestion)	> 2,000 mg/kg
Skin irritation/corrosion	Severe skin irritation. Corrosive to the skin of a rabbit.
Ethylene glycol mono phenyl ether(122-99-6)	
Additional Information	RTECS: KM0350000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Aspiration hazard	No data available
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
Inhalation	No data available.
LD50 Dermal - Rat	14,422 mg/kg - Rat - Dermal. Remarks: Lungs, Thorax, or Respiration: Acute pulmonary edema.
LD50 Oral - Rat - Acute Toxicity	1,260 mg/kg - Rat - Oral. Remarks: Behavioral: General anesthetic. Gastrointestinal: Other changes. Kidney, Ureter, Bladder:Other changes.
Reproductive toxicity	No data available. May cause reproductive disorders.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	Eyes - Rabbit Result: Moderate eye irritation.
Skin corrosion/irritation	Skin - Rabbit Result: Mild skin irritation - 24 h
Specific target organ toxicity - repeated exposure	No data available
Specific target organ toxicity - single exposure	No data available.
Isobutyl Alcohol(78-83-1)	
Carcinogenicity Data:	The ingredient(s) of this product is (are) not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.
LC50 Inhalation - Rat	8000 ppm; (4 h)

LD50 Dermal - Rabbit	3400 mg/kg
LD50 Oral - Rat (Acute Toxicity)	2460 mg/kg
Mutagenicity Data:	No adverse mutagenicity effects are anticipated.
Reproductive Data:	No adverse reproductive effects are anticipated.
Respiratory / Skin Sensitization Data:	None known.
Synergistic Materials:	Alcohols may interact synergistically with chlorinated solvents (example - carbon tetrachloride, chloroform, bromotrichloromethane), dithiocarbamates (example - disulfiram), dimethylnitrosamine and thioacetamide.
Tetragenicity Data:	No adverse Tetragenicity effects are anticipated.
Magnesite(546-93-0)	
Information regarding toxicological effects	No data available.
Methyl Amyl Ketone(110-43-0)	
Aspiration hazard	May be harmful if swallowed and enters airways.
Carcinogenicity	No data available.
LD50 Dermal - (Rat)	>2,000 mg/kg
LD50 Inhalation - (Rat)	>16.7 mg/l (4 h)
LD-50 Oral - (Rat)	1,600 mg/kg
Mutagenicity	In vitro, No data available., In vivo, No data available.
Other adverse effects	No data available.
Repeated dose toxicity	No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Skin Sensitization:, (Mouse) - non-sensitizing.
Serious eye damage/eye irritation	(Rabbit, 24 h): slight.
Skin corrosion/irritation	(Rabbit, 24 h): moderate.
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
n-Methyl-2-pyrrolidone(872-50-4)	
Aspiration Hazard	Not Applicable.
Assessment other acute effects	Assessment of STOT single: Causes temporary irritation of the respiratory tract. Irritation / corrosion Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation. Causes temporary irritation of the respiratory tract. EU-classification Skin Species: rabbit Result: Slightly irritating. Method: Draize test Literature data. The European Union (EU) has classified this substance with 'Irritating to skin' (R38). Eye Species: rabbit Result: Irritant. Method: Draize test Literature data. Sensitization Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. Mouse Local Lymph Node Assay (LLNA) Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429 The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Carcinogenicity	Assessment of carcinogenicity: In long-term animal studies in which the substance was given by inhalation, a carcinogenic effect was not observed. In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed. In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans. The whole of the information assessable provides no indication of a carcinogenic effect.
Genetic toxicity	Assessment of mutagenicity: The substance was not mutagenic in bacteria. No mutagenic effect was found in various tests with mammalian cell culture and mammals.
LC50 Inhalation - Rat	> 5.1 mg/l (OECD Guideline 403) Exposure time: 4 h An aerosol was tested. Limit concentration test only (LIMIT test). No mortality was observed.
LD50 Dermal - Rat	5,000 mg/m ³ ; Species: rat (male/female) Value: > 5,000 mg/kg (OECD Guideline 402) Literature data.
LD50 Oral - Rat	4,150 mg/kg (OECD Guideline 401) Literature data.
Repeated dose toxicity	Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the testes after repeated inhalation of high doses. Experiment
Reproductive toxicity	Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.
Symptoms of Exposure	Medical conditions aggravated by overexposure Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product.

Tetragenicity	Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals.
Phenylethane(100-41-4)	
Aspiration toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Inhalation Exposure time: 103 wk Activity duration: 6 h Dose: 0, 75, 250, 750 ppm Frequency of Treatment: 5 days/week NOAEL: 250 ppm Method: OECD Test Guideline 453 Result: evidence of carcinogenic activity Symptoms: increased incidences of alveolar/bronchiolar neoplasms, increase incidence of hepatocellular carcinomas GLP: yes Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.
Germ cell mutagenicity	Genotoxicity in vitro, Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: no : Test Type: Mammalian cell gene mutation assay Test species: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method : OECD Test Guideline 476 Result: negative GLP: yes Genotoxicity in vivo : Test Type: In vivo micronucleus test species: mouse (male) Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: yes Test Type: DNA damage and/or repair Test species: mouse (male and female) Application Route: Inhalation Method: OECD Test Guideline 486 Result: negative GLP: yes Germ cell mutagenicity Assessment : In vivo tests did not show mutagenic effects
LC50 (Mouse, Male)	10 mg/l Assessment: The component/mixture is moderately toxic after short term inhalation.
LD50 (rabbit)	15,433 mg/kg
Repeated dose toxicity	Species: rat, male and female NOAEL: 75 mg/kg Application Route: Oral Exposure time: 28 d Dose: 75, 250 and 750 mg/kg bw/day Method: OECD Test Guideline 407 GLP: yes Symptoms: Increased kidney and liver weights
Reproductive toxicity	Effects on fertility : Test Type: One generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500 and 1000 ppm Duration of Single Treatment: 6 h General Toxicity - Parent: NOAEC: 1,000 ppm General Toxicity F1: NOAEC: 100 ppm Symptoms: Reduced fetal weight. Reduced offspring weight gain. Method: OECD Test Guideline 415 Result: No reproductive effects. GLP: yes Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000, 2000 ppm Duration of Single Treatment: 15 d General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: 2,000 ppm Developmental Toxicity: NOAEC: 500 ppm Symptoms: Reduced body weight Method: OECD Test Guideline 414 Result: Developmental toxicity occurred at maternal toxicity dose levels GLP: No data available Reproductive toxicity - Assessment : No toxicity to reproduction Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation Remarks: No data available
Skin corrosion/irritation	Species: rabbit Result: Mild skin irritation
STOT - repeated exposure	Target Organs: Auditory system Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
STOT - single exposure	No data available.
Styrene(100-42-5)	
Irritation / corrosion - Eye	Species: Rabbit; Result: non-irritant; Method: BASF - Test
Irritation / corrosion - Sensitization	Species: Guinea pig; Result: non-sensitization; Method: OECD Guideline 406.
Irritation / corrosion - Skin	Species: Rabbit; Result: non-irritant; Method: BASF - Test
LC50 Dermal - Rat	Not determined
LC50 Inhalation - Rat	Exposure time 4 h ; not determined
LD50 Oral - Rat	>5,000 mg/kg
Talc(14807-96-6)	
Acute toxicity - Dermal	No data available.
Acute toxicity - Inhalation	No data available.
Additional Information	RTECS: WW2710000 Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis. In advanced stages, loss of appetite, pleuritic pain, and total incapacity to work. Advanced silicosis may result in death due to cardiac failure or destruction of lung tissue. Crystalline silica is classified as group 1 "known to be carcinogenic to humans" by IARC and "sufficient evidence" of carcinogenicity by the NTP. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Liver - Irregularities -

	Based on Human Evidence Stomach - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence (Quartz).
Aspiration hazard	No data available.
Carcinogenicity	Carcinogenicity - Rat - Inhalation Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. IARC: 1 - Group 1: Carcinogenic to humans (Quartz) IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrous magnesium silicate) 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrous magnesium silicate) NTP: Known to be human carcinogen (Quartz) OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	No data available.
Skin corrosion/irritation	Skin - Human Result: Mild skin irritation - 3 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Titanium Dioxide(13463-67-7)	
Carcinogenicity	In lifetime inhalation studies rats were exposed for 2 years to respectively 10, 50, 250 mg/m3 of respirable TiO2.
Dermal ALD (rabbit)	>10000 mg/m3
Eye irritation	slight irritation
Inhalation 4 h ALC	>6.82 mg/l
ORAL ALD (rat)	>2400 mg/kg
Sensitisation	Did not cause sensitisation on laboratory animals.
Skin irritation	slight irritation
Toluene(108-88-3)	
Aspiration toxicity	Aspiration Toxicity - Category 1
Carcinogenicity	Species: rat, (male and female) Application Route: inhalation (vapour) Exposure time: 103 wks Dose: 0, 600, 1200 ppm Frequency of Treatment: 6.5 h/d, 5 d/wk NOAEL: No observed adverse effect level: 1,200 ppm Method: OECD Test Guideline 453 Result: did not display carcinogenic properties Symptoms: Erosion of nasal epithelium Species: rat, (male and female) Application Route: inhalation (vapour) Exposure time: 103 wks Dose: 0, 600, 1200 ppm Frequency of Treatment: 6.5 h/d, 5 d/wk NOAEL: No observed adverse effect level: 1,200 ppm Method: OECD Test Guideline 453 Result: did not display carcinogenic properties Symptoms: Erosion of nasal epithelium Species: rat, (male and female) Application Route: inhalation (vapour) Exposure time: 103 wks Dose: 0, 600, 1200 ppm Frequency of Treatment: 6.5 h/d, 5 d/wk NOAEL: No observed adverse effect level: 1,200 ppm Method: OECD Test Guideline 453 Result: did not display carcinogenic properties Symptoms: Erosion of nasal epithelium , GLP: yes, Carcinoge
Further information	Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.
Germ cell mutagenicity	Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay Test species: Mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative : Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative Genotoxicity in vivo : Test Type: Chromosome aberration assay in vivo Test species: rat Cell type: Bone marrow Application Route: Intraperitoneal Exposure time: 1 or 5 d Dose: 0, 0.025, 0.082, 0.247 ml/kg Result: negative Test Type: Dominant lethal assay Test species: mouse (male) Application Route: inhalation (vapour) Exposure time: 6 h/d, 5 d/wk for 8 wks Dose: 0, 100, 400 ppm Method: OECD Test Guideline 478 Result: negative Germ cell mutagenicity Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
LC50 (rat, male and female)	28.1 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
LD50 (rabbit)	> 5,000 mg/kg
LD50 (rat, male)	> 5,580 mg/kg
Repeated dose toxicity	Species: mouse, male and female NOAEL: 625 mg/kg LOAEL: 1,250 mg/kg Application Route: Oral Exposure time: 13 wks Number of exposures: 5 d/wk Dose: 312, 625, 1250, 2500, 5000 Group: yes GLP: yes Symptoms: death, Increased liver weight, ataxia, hypoactivity, hypothermia Species: rat, male and female NOAEL: 300 Application Route: inhalation (vapour) Exposure time: 6, 12, or 18 mths Number of exposures: 6 h/d, 5 d/wk Dose: 0, 30,

	100, 300 ppm Method: OECD Test Guideline 453 Repeated dose toxicity - Assessment : Causes skin irritation.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500, 2000 ppm Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 500 ppm General Toxicity F1: NOAEC: 500 ppm Fertility: NOAEC: 2,000 ppm Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain. Method: OECD Test Guideline 416 Result: Animal testing did not show any effects on fertility. GLP: yes Test Type: Fertility Species: rat, male and female Application Route: inhalation (vapour) Dose: 0, 600, 1200 ppm Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 600 ppm Symptoms: Decreased sperm count Result: Animal testing did not show any effects on fertility.
Reproductive toxicity (cont.)	Effects on fetal development : Species: rat Application Route: inhalation (vapour) Dose: 0, 250, 750, 1500, 3000 ppm Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEC: 750 ppm Developmental Toxicity: NOAEC: 750 ppm Symptoms: Maternal toxicity, Reduced body weight, Skeletal malformations. GLP: yes Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
Respiratory or skin sensitization	Test Type: Maximization Test (GPMT) Species: guinea pig Result: Did not cause sensitization on laboratory animals. GLP: yes
Serious eye damage/eye irritation	Species: rabbit Result: Irritating to eyes. Method: OECD Test Guideline 405
Skin corrosion/irritation	Species: rabbit Exposure time: 4 h Result: Irritating to skin.
STOT - repeated exposure	Inhalation Auditory system, Eyes May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
STOT - single exposure	Exposure routes: Target Organs: Assessment: Remarks: Inhalation Central nervous system May cause drowsiness or dizziness. The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
Xylene(1330-20-7)	
Acute dermal toxicity	Acute toxicity estimate : 1,100 mg/kg Method: Expert judgment.
Acute inhalation toxicity	Acute toxicity estimate, 4631 ppm Exposure time, 4 h Test atmosphere: gas Method; Calculation method.
Acute toxicity Product	Acute oral toxicity : Acute toxicity estimate : 3,523 mg/kg Method: Calculation method.
Aspiration Toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Oral Exposure time: 103 wk Dose: 0, 500 or 1000 mg/kg Frequency of Treatment: 5 days/week Method: Directive 67/548/EEC, Annex V, B.32. Result: did not display carcinogenic properties GLP: No data available, Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.
Germ cell mutagenicity	Test Type: Chromosome aberration test in vitro. Test Species: Chinese hamster ovary (CHO) Metabolic Activation: With and without metabolic activation. Method Mutagenicity (in vitro mammalian cytogenetic test) Result: Negative. Test Type: Sister chromatid exchange assay in mammalian cells.
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat, male) Inhalation	6700 ppm Exposure time: 4 h Method: Directive 67/548/EEC, Annex V, B.2. GLP: No data available Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation. Remarks: Acutely Toxic Category 4
LC50 (rat, male) Oral	3,523 mg/kg Method: EU Method B.1 (Acute Toxicity, Oral) Target Organs: Kidney, Bladder GLP: no
Repeated dose toxicity	Species: rat, male and female NOAEL: 250 mg/kg Application Route: Oral Exposure time: 103 wk Number of exposures: 5 d/wk Dose: 0, 250 or 500 mg/kg Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 25, 100 and 500 ppm Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: > 500 ppm General Toxicity F1: NOAEC: > 500 ppm Early Embryonic Development: NOAEC: > 500 ppm Result: No reproductive effects. Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000 or 2000 ppm Duration of Single Treatment: 14 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: > 2,000 Developmental Toxicity: NOAEC: 100 ppm Result: No teratogenic effects., Developmental toxicity occurred at maternal toxicity dose levels Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility. Damage to fetus not classifiable
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation

Skin corrosion/irritation	Species: rabbit Exposure time: 24 h Result: Irritating to skin Remarks: Skin irritation, Category 2
STOT - repeated exposure	Target Organs: Liver, Kidney, Central nervous system Assessment: May cause damage to organs through prolonged or repeated exposure.
STOT - single exposure	No data available.

12. ECOLOGICAL INFORMATION

Acetone(67-64-1)	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: -0.24
EC50 (Daphnia magna (Water flea))	7,630 mg/l (Exposure time 48 h); Test substance: Acetone
LC50 (Oncorhynchus mykiss (rainbow trout))	6,100 mg/l (Exposure time: 48 h)
Mobility in soil	No data available.
Other adverse effects	No data Available. Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances., Additional ecological information: No data available.
Persistence and degradability	Biodegradability: Remarks: No data available
Toxicity to algae	Remarks: No data available
Aluminum Hydroxide(21645-51-2)	
Bioaccumulative potential	Inert material.
EC50 - Daphnia - Toxicity to daphnia and other aquatic invertebrates	>10,000 mg/l, Daphnia magna (Water flea) (OECD Test Guideline 202)
EC50 - Fish - Toxicity to fish	>10,000 mg/l, Fish
Mobility in soil	Inert material.
NOEC - Toxicity to algae	>0.004 mg/l, 72 h, Pseudokirchneriella subcapitata (algae) - (OECD Test Guideline 201)
Other adverse effects	None known.
Persistence and degradability	Non-degradable
Amorphous Silica(7631-86-9)	
Additional ecological information	General notes: Do not allow product to reach ground water, water course or sewage system.
Bioaccumulative potential	No further relevant information available.
EC50 - Algae	>10000 mg/l (Scenedesmus subspicatus) (72 h) (OCED 201) comparable substance
EC50 - Daphnia magna	>1000 mg/l (Daphnia magna) (24 h) (OCED 202)
LCO - Zebra fish	10000 mg/l (zebra fish) (96 h) (static) (OCED203)
Mobility in soil	No further relevant information available.
Persistence and degradability	The product is chemically and biologically inert. By the insolubility in water there is a separation at every filtration and sedimentation process.
Benzene(71-43-2)	
Additional ecological information	Toxic to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.
EC50	10 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test substance: yes Method: OECD Test Guideline 202
Ecotoxicology Assessment	Acute aquatic toxicity Benzene : Toxic to aquatic life. Chronic aquatic toxicity Benzene : Harmful to aquatic life with long lasting effects.
ErC50	100 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata (green algae) Test substance: yes Method: OECD Test Guideline 201
LC50	5.3 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout) flow-through test substance: yes Method: OECD Test Guideline 203
Persistence and degradability	Biodegradability : This material is expected to be readily biodegradable.
Results of PBT assessment	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).
Crystalline Silica(14808-60-7)	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.

Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Toxicity	No data available.
Cumene(98-82-8)	
Bioaccumulative potential	No data available.
EC50 - Daphnia (water flea) - Toxicity to daphnia and other aquatic invertebrates	2.14 mg/l - 48 h (OECD Test Guideline 202), Daphnia (water flea)
EC50 - Pseudokirchneriella subcapitata (green algae) - Toxicity to algae	2.60 mg/l - 72 h, Pseudokirchneriella subcapitata (green algae)
LC50 - Oncorhynchus mykiss (rainbow trout) Toxicity to fish	4.8 mg/l - 96 h, Oncorhynchus mykiss (rainbow trout)
Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.
Persistence and degradability	Biodegradability Result: - According to the results of tests of biodegradability this product is not readily biodegradable.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Cyclohexanone(108-94-1)	
Bioaccumulative potential	No data available.
EC50 - (Pimephales promelas)- Toxicity to fish	527-732 mg/l, (Pimephales promelas (fathead minnow)) Exposure time: 96 h, Test type: flow-through test.
EC50 - Daphnia magna - Toxicity to daphnia and other aquatic invertebrates	>100 mg/l, exposure time 48 h, Test Type: static test, Method: OECD Test Guideline 202, GLP: yes.
EC50 - Toxicity to algae	>100 mg/l (Desmodesmus subspicatus (Scenedesmus subspicatus)), end point: Growth rate, Exposure time: 72 h, Test Type: static test, Analytical monitoring: yes, Method Guideline 201, GLP: yes.
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	Biodegradation: >60%, Remarks: Readily biodegradable.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Dibutyltin Dilaurate(77-58-7)	
Aquatic toxicity	No data is available on the product itself.
Bioaccumulation	No data is available on the product itself.
EC50 - Daphnia	2.28 mg/l, Species : Daphnia magna.
LC50 - Fish	2 mg/l, Species : Fish.
Mobility	No data available.
Persistence and degradability	Biodegradability : No data is available on the product itself.
Toxicity to other organisms	No data available.
Ethylene glycol mono phenyl ether(122-99-6)	
Bioaccumulative potential	No data available.
LC50 - Leuciscus idus - Toxicity to fish	>100 mg/l -96 h, Leuciscus idus (Golden orfe)
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	Biodegradability Remarks: Readily biodegradable, according to appropriate OECD test.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Isobutyl Alcohol(78-83-1)	
Chronic	No data available.

Degradability / Persistence; Biological / A biological Degradation	Evaluation: Not readily biodegradable (by OECD criteria).
EC50 - Aquatic Plants	>100 mg/l (72 h) The product has not been tested. The statement has been derived from properties of the individual components.
EC50 - Daphnia - Acute	>100 mg/l (48 h) The product has not been tested. The statement has been derived from properties of the individual components.
LC50 - Fish - Acute	>100 mg/l (96 h) The product has not been tested. The statement has been derived from properties of the individual components.
Microorganisms	Toxicity to microorganisms: bacteria EC10 (17 h): >750 mg/l. The product has not been tested. The statement has been derived from properties of the individual components.
Magnesite(546-93-0)	
Ecological toxicity	No data available.
Methyl Amyl Ketone(110-43-0)	
Aquatic invertebrates	No data available.
Bioaccumulative potential	No data available.
Chronic Toxicity (Fish)	No data available.
ErC50 (Selenastrum capricornutum)	98.2 mg/l, 72 h
LC50 (Fathead Minnow) Acute toxicity	131 mg/l , (96 h)
Mobility in soil	No data available.
Persistence and degradability	69 % (28 d, Ready Biodegradability - CO2 in Sealed Vessels (Headspace Test)). Biological Oxygen Demand BOD-5: 1,770 mg/g BOD-20: 2,000 mg/g , Chemical Oxygen Demand: 2,420 mg/g, BOD/COD ratio No data available.
Results of PBT and vPvB assessment	No data available.
n-Methyl-2-pyrrolidone(872-50-4)	
Additional information	Sum parameter Chemical oxygen demand (COD): (DIN 38409 Part 41) approx. 1,600 mg/g Biochemical oxygen demand (BOD) Incubation period 5 d: < 2 mg/g Absorbable organically-bound halogen (AOX): This product contains no organically-bound halogen.
Bioaccumulative potential	Assessment bioaccumulation potential Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.
EC50 (Algae)	> 500 mg/l, (72 h), Scenedesmus subspicatus (DIN 38412 Part 9) The details of the toxic effect relate to the nominal concentration.
EC50 (Daphnia)	> 1,000 mg/l, (24 h), Daphnia magna (DIN 38412 Part 11, static) The details of the toxic effect relate to the nominal concentration.
LD50 (fish)	> 500 mg/l, Salmo gairdneri, syn. O. mykiss (static) The details of the toxic effect relate to the nominal concentration.
Microorganisms/Effect on activated sludge	Toxicity to microorganisms DIN EN ISO 8192 aquatic activated sludge, industrial/EC50 (0.5 h): > 600 mg/l The details of the toxic effect relate to the nominal concentration.
Mobility in soil	Assessment transport between environmental compartments The substance will rapidly evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.
Persistence and degradability	Assessment biodegradation and elimination (H2O) Readily biodegradable (according to OECD criteria). Elimination information 73 % BOD of the ThOD (28 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (aerobic, Inoculum conforming to MITI requirements (OECD 301C)) Readily biodegradable (according to OECD criteria). Assessment of stability in water In contact with water the substance will hydrolyse slowly.
Phenylethane(100-41-4)	
Bioaccumulative potential	Partition coefficient: nOctanol/water : log Pow: 2.92
EC50 (Daphnia magna (Water flea))	1.8 mg/l Exposure time: 48 h Test Type: static test
EC50 (Pseudokirchneriella subcapitata)	5.4 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Static GLP: yes
LC50 (Oncorhynchus mykiss (rainbow trout))	4.2 mg/l Exposure time: 96 h Test Type: semi-static test
Mobility in soil	No data available.
Other adverse effects	Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).
Persistence and degradability	Biodegradability : Inoculum: activated sludge Concentration: 22 mg/l Result: Readily biodegradable. Biodegradation: 70 % Exposure time: 28 d GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	(Daphnia): 3.6 mg/l Toxicity to bacteria : GLP: Remarks: No data available Ecotoxicology Assessment Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.
Styrene(100-42-5)	
Bioaccumulation	At present state of knowledge, no negative ecological effects are expected.
Chronic	No data available regarding toxicity to daphnids.
Chronic	No data available regarding toxicity to fish.
EC50 (Algae)	(72 h); No data available concerning toxicity for algae.
EC50 (Daphnia) Acute	(48 h) No data available regarding toxicity to daphnia.
LC50 Fish (Leuciscus idus) Acute	>100 mg/l (96 h)
Microorganisms	Toxicity to microorganisms: The inhibition of the degradation activity sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.
Talc(14807-96-6)	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Toxicity	No data available.
Titanium Dioxide(13463-67-7)	
LC50 fish	Fathead minnow 96 h >1000 mg/l
Toluene(108-88-3)	
Bioaccumulative potential	Partition coefficient: octanol/water : log Pow: 2.73
EC50 (Ceriodaphnia dubia)	3.78 mg/l Exposure time: 48 h Test Type: Renewal
EC50 (Chlorella vulgaris (Fresh water algae))	134 mg/l Exposure time: 3 h Test Type: static test
IC50 (Bacteria)	84 mg/l Exposure time: 24 h, Test Type: Static Ecotoxicology Assessment Acute aquatic toxicity : Toxic to aquatic life. Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.
LC50 (Oncorhynchus mykiss (rainbow trout))	5.5 mg/l Exposure time: 96 h Test Type: flow-through test
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	Biodegradability : Inoculum: Sewage Biodegradation: 100 % Remarks: Readily biodegradable
Xylene(1330-20-7)	
Bioaccumulative potential	Partition coefficient: octanol/water : log Pow: 2.77 - 3.15
EC50 (Pseudokirchneriella subcapitata)	4.36 mg/l End point: Growth rate Exposure time: 73 h Test Type: static test Analytical monitoring: yes
IC50 (Daphnia magna (Water flea))	1 mg/l Exposure time: 24 h Test Type: static test Test substance: Information given is based on data obtained from similar substances. Method: OECD Test Guideline 202 GLP
LC50 (Oncorhynchus mykiss (rainbow trout))	2.6 mg/l Exposure time: 96 h Test substance: Information given is based on data obtained from similar substances. Method: OECD Test Guideline 203 GLP: No data available
Mobility in soil	No data available.
Persistence and degradability	Biodegradability : Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 20 d

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

GENERAL INFORMATION : No data available.

DISPOSAL METHOD: Dispose of waste and residues in accordance with Local, State, and Federal Regulations. Mix with compatible chemical which is less flammable and incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind or weld or near this container.

14. TRANSPORT INFORMATION

***CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRICTIONS THAT MAY APPLY.**

**USDOT GROUND
DOT (DEPARTMENT OF TRANSPORTATION)
PROPER SHIPPING NAME (DOT) :** Paint
HAZARDS CLASS : 3
UN/NA NUMBER : UN1263
PACKING GROUP : PG II
EMERGENCY RESPONSE GUIDE (ERG) : 128

**IATA (AIR)
DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)
PROPER SHIPPING NAME :** Paint
HAZARDS CLASS : 3
UN/NA NUMBER : UN1263
PACKING GROUP : PG II
EMERGENCY RESPONSE GUIDE (ERG) : 128

**IMDG (OCEAN)
PROPER SHIPPING NAME :** Paint
HAZARDS CLASS : 3
UN/NA NUMBER : UN1263
PACKING GROUP : PG II
EMERGENCY RESPONSE GUIDE (ERG) : 128

MARINE POLLUTANT : No
SPECIAL PRECAUTIONS : P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P235 Keep cool.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS
All ingredients in Section #3 are TSCA (Toxic Substance Control Act) listed.

OSHA HAZARDS : Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen.
**EPCRA - Emergency
CERCLA REPORTABLE QUANTITY**

This product contains:	Chemical CAS#
Phenylethane	100-41-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1

SARA 304 Extremely Hazardous Substances Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)
SARA 311/312 Hazards : Fire Hazard, Acute Health Hazard, Chronic Health Hazard
SARA 313 :

This product contains:	Chemical CAS#
Acetone	67-64-1
Titanium Dioxide	13463-67-7
Talc	14807-96-6
Phenylethane	100-41-4

CLEAN AIR ACT :

This product contains:	Chemical CAS#
Phenylethane	100-41-4

Styrene	100-42-5
Ethylene glycol mono phenyl ether	122-99-6
Toluene	108-88-3
Benzene	71-43-2
Cumene	98-82-8

INTERNATIONAL REGULATIONS

CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :

Flam. Liq. Cat. 2; H226
 Acute Tox. Cat. 4; H302
 Acute Tox. Dermal Cat. 3; H311
 Skin Sens. Cat. 1; H317
 Eye Irrit. Cat.2; H319
 Acute Tox. Inhal. Cat. 3; H331
 STOT SE Cat. 3; H336
 Reprod. Tox. Cat. 1; H360
 STOT RE Cat. 1; H372

NATIONAL REGULATIONS

This product contains:	Chemical CAS#
~Titanium Dioxide	13463-67-7
~Phenylethane	100-41-4

IARC KEY

~ Indicates a chemical listed by IARC as a possible carcinogen.

^ Indicates a chemical listed by IARC as a carcinogen.

STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product contains:	Chemical CAS#
*Styrene	100-42-5
+n-Methyl-2-pyrrolidone	872-50-4
*Phenylethane	100-41-4
+Toluene	108-88-3

PROPOSITION 65 KEY

*  **WARNING** Cancer – www.P65Warnings.ca.gov

 **WARNING** Reproductive Harm – www.P65Warnings.ca.gov

+  **WARNING** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Massachusetts Right to Know

This product contains	Chemical CAS#
Acetone	67-64-1
Calcium Carbonate	1317-65-3
Talc	14807-96-6
Cyclohexanone	108-94-1

Methyl Amyl Ketone	110-43-0
n-Methyl-2-pyrrolidone	872-50-4
Acetylacetone	123-54-6
Phenylethane	100-41-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1
Benzene	71-43-2
Cumene	98-82-8

Pennsylvania Right to Know

This product contains	Chemical CAS#
Acetone	67-64-1
Calcium Carbonate	1317-65-3
Titanium Dioxide	13463-67-7
Talc	14807-96-6
Amorphous Silica	7631-86-9
Cyclohexanone	108-94-1
Methyl Amyl Ketone	110-43-0
Aluminum Hydroxide	21645-51-2
n-Methyl-2-pyrrolidone	872-50-4
Acetylacetone	123-54-6
Phenylethane	100-41-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1
Magnesite	546-93-0
Ethylene glycol mono phenyl ether	122-99-6
Dibutyltin Dilaurate	77-58-7
Toluene	108-88-3
Cumene	98-82-8

New Jersey Right to Know

This product contains	Chemical CAS#
Acetone	67-64-1
Calcium Carbonate	1317-65-3
Titanium Dioxide	13463-67-7
Talc	14807-96-6
Amorphous Silica	7631-86-9
Cyclohexanone	108-94-1
Methyl Amyl Ketone	110-43-0
Aluminum Hydroxide	21645-51-2
n-Methyl-2-pyrrolidone	872-50-4
Acetylacetone	123-54-6
Phenylethane	100-41-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1
Magnesite	546-93-0
Ethylene glycol mono phenyl ether	122-99-6
Dibutyltin Dilaurate	77-58-7
Cumene	98-82-8

16. OTHER INFORMATION

Other Product Information

% Volatile by Volume: 55.59

% Solids by volume: 44.41

% Exempt by Volume: 51.49

% Volatile by Weight: 33.94

% Solids by Weight: 66.06

% Exempt by Weight: 31.13

VOC CONTENT:


Excluding Exempt VOC: 76

Including Exempt VOC: 37

HMIS RATING

Health :	2*
Flammability :	3
Reactivity :	0
Personal Protection :	H

NFPA CODES



MANUFACTURER DISCLAIMER : The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Industrial Finishes makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.