

SAFETY DATA SHEET



DATE ISSUED :	4/20/2016
SDS REF. No :	W-500-A

W-500-A W/B METAL CLEANER

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: W-500-A W/B METAL CLEANER

PRODUCT CODE: W-500-A

PRODUCT USE: Industrial Waterborne Solution

MANUFACTURER

Cardinal Industrial Finishes
1329 Potrero Ave

S. El Monte, CA,
626 444-9274

24 HR. EMERGENCY TELEPHONE NUMBER

CHEMTREC (US Transportation): (800)424-9300

CHEMTREC (International : 1(202)483-7616

Transportation)

WEB: WWW.CARDINALPAINT.COM

2. HAZARDS IDENTIFICATION

PICTOGRAMS



SIGNAL WORD : DANGER

HAZARD STATEMENTS :

H302 Harmful if swallowed.

H320 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS :

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P405 Store locked up.

P501 Dispose of in accordance with Local, Regional, State, Federal, and International Regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	
n-Methyl-2-pyrrolidone	10% - 15%	872-50-4	
Ethylene glycol mono butyl ether	5% - 10%	111-76-2	
Phosphoric Acid	1% - 5%	7664-38-2	

4. FIRST AID MEASURES

Description of first aid measures.

EYES CONTACT : Flush with large quantities of water for 15 to 30 minutes. Remove contact lenses. Keep eyes wide open while rising. If eye irritation persists: Get medical attention.

SKIN CONTACT : Wash exposed area with mild soap and water for 15 to 30 minutes. Remove contaminated clothing. Repeated exposure may cause dryness or cracking.

INGESTION : Rinse mouth. Do NOT induce vomiting. Keep victim warm and seek immediate attention.

INHALATION : Remove to fresh air and keep in a position comfortable to breath. Call a doctor/physician if you feel unwell. Get medical attention.

Most important symptoms and effects, both acute and delayed. Symptoms/injuries: Eye irritation

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Cause serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed.

If medical advice is needed, have product container or label on hand.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : In the event of a fire, use specifically suitable extinguishing agents. Suitable extinguishing media: Foam, alcohol resistant foam, CO₂, water fog. Unsuitable extinguishing media: Do not use heavy water stream. A heavy water stream may spread burning liquid.

FIRE FIGHTING PROCEDURE : Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment. Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

UNUSUAL FIRE AND EXPLOSION HAZARD : Fire hazard: Highly flammable/liquid or vapor.
Explosive hazard: May form flammable/explosive vapor-air mixture.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :

General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

FOR NON-EMERGENCY PERSONNEL :

For non-Emergency procedures: Evacuate unnecessary personnel.

FOR EMERGENCY RESPONDERS :

Equip cleanup crew with proper protection. Avoid breathing fume, vapors.

ENVIRONMENTAL PRECAUTIONS :

Prevent entry to sewers and public waters.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP :

Collect damaged aerosols and use absorbent and/or inert material, then place in suitable container.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING : Additional hazards when processed: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area to prevent formation of vapor. No smoking. Use only non-sparking tools. Use outdoors or in a well ventilated area. Avoid breathing fume, vapors.

Hygiene measures: Wash Skin thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES : Storage conditions: Store in a dry, cool and well-ventilated place away from: Heat sources. Direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight. Heat Sources.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Ethylene glycol mono butyl ether(111-76-2)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA NIOSH	NIOSH REL (ppm)	5 ppm
USA OSHA	OSHA PO TWA (ppm)	25 ppm
USA OSHA	OSHA TABLE Z-1 TWA (mg/m3)	50 ppm, 240 mg/m3
n-Methyl-2-pyrrolidone(872-50-4)		
USA ACGIH	ACGIH PEL	N/E
USA OSHA	OSHA TWA	N/E
Phosphoric Acid(7664-38-2)		
USA ACGIH	ACGIH (TLV) STEL	3 mg/m3
USA ACGIH	ACGIH (TLV) TWA	1 mg/m3
USA NIOSH	NIOSH (TWA) REL	1 mg/m3
USA NIOSH	NIOSH (TWA) ST	3 mg/m3
USA OSHA	OSHA (TWA) Table Z-1	1 mg/m3
Polyethylene glycol(25322-68-3)		
USA (WEEL) TWA	USA (WEEL) TWA	10 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : If TLV of the product or any component is exceeded, a NIOSH approved dust respirator is advised in absence of environmental control. OSHA Regulations also permit other NIOSH dust respirators under specified conditions. (See your Safety Equipment Supplier) Engineering or administrative controls should be implemented to reduce exposure.

HAND PROTECTION REMARKS : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

EYES PROTECTION : Eye wash bottle with pure water.
Tightly fitting safety goggles.
Where face-shield and protective suit for abnormal processing problems.

SKIN AND BODY PROTECTION : Wear impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

WORK HYGIENIC PRACTICES: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Color	:	Clear
Odor	:	Characteristic. Sweet. Mint like.
Odor threshold	:	No data available.
Ph	:	N/A - See Technical Data Sheet
Evaporation rate	:	Slower Than Ether
Melting point	:	-94.7 C (-138.46 F)
Freezing point	:	No data available.
Boiling point	:	232.0 deg F TO 397.0 deg F
Flash point	:	Above 212 deg F
Lower explosion limit	:	1.1
Upper explosion limit	:	10.6
Vapor pressure	:	185 mm Hg
Vapor density	:	Heavier than air
Relative density	:	No data available.
Density	:	8.3476
Solubility	:	No data available.
Partion coefficient: n-octanol/water	:	No data available.
Autoignition temperature	:	No data available.
Decomposition temperature	:	No data available.

10. STABILITY AND REACTIVITY

REACTIVITY : No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY : Stable under normal conditions.

CONDITIONS TO AVOID : Extremely high temperatures, poor ventilation and excessive aging.

INCOMPATIBLE MATERIALS : Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. TOXICOLOGICAL INFORMATION

Ethylene glycol mono butyl ether(111-76-2)	
Aspiration toxicity	Remarks: No data available.
Carcinogenicity	Species mouse, Application Route: Inhalation, Exposure time 2 yr, Activity duration: 6 h, Frequency of Treatment: 5 days/week, NAOEL: 125 ppm Result: Limited evidence of carcinogenic effects with no relevance to humans., Carcinogenicity-Assement: Not evidence of carcinogenicity in animal studies..
Further information	Product Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.,
Germ cell mutagenicity	Genotoxicity in vitro: Test Type: Mammalian cell gene mutation assay; Test species: Chinese hamster (CHO), Metabolic activation: with and without metabolic activation. Result: negative., Genotoxicity in vivo: Test Type: In vivo micronucleus test., Test species:: mouse (male), application Route: Intraperitoneal, Result: negative., Germ cell mutagenicity Assessment: Tests on bacterial or mammalian did not show mutagenic effects.
LC50 (rat) inhalation	Acute inhalation toxicity: 500 ppm, Exposure time: 4 h; Assessment: the component/mixture is moderately toxic after short term inhalation.
LC50 (rat) Oral	Acute toxicity estimate: 500 mg/kg; Method: Expert judgment.; Assessment: the component/mixture is moderately toxic after single ingestion.
LD50 (rat) dermal	Acute toxicity estimate: 1,1000 mg/kg; Method: Expert judgment; Assessment: the component/mixture is moderately toxic after single contact with skin.
Repeated dose toxicity	Species: rat NOAEL: 30, Application Route: Inhalation Exposure time: 14 wk Number of exposures: 6 h/d, 5 d/wk.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: mouse Application Route: oral Fertility: NOAEL: 720 mg/kg body weight Symptoms: Reduced fertility Result: Reduced fertility at maternally toxic doses Effects on fetal development : Test Type: Embryo-fetal development Species: rat Application Route: Inhalation Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day Developmental Toxicity: Lowest observed adverse effect level: 100 ppm Result: Developmental toxicity occurred at maternal toxicity dose levels Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments
Respiratory or skin sensitisation	Test Type: Maximization test, Species guinea pig, Result: Did not cause sensitisation on laboratory animals.
Serious eye damage/ eye irritation	Species rabbit, Exposure time 24 h, Result: Irritating to eyes.
Skin corrosion/irritation	Remarks: Moderate skin irritation in susceptible persons., Species rabbit, Exposure time 24 h, Result: Mild skin irritation
STOT - repeated exposure	No data available.
STOT - single exposure	No data available.
n-Methyl-2-pyrrolidone(872-50-4)	
Aspiration Hazard	Not Applicable.
Assessment other acute effects	Assessment of STOT single: Causes temporary irritation of the respiratory tract. Irritation / corrosion Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation. Causes temporary irritation of the respiratory tract. EU-classification Skin Species: rabbit Result: Slightly irritating. Method: Draize test Literature data. The European Union (EU) has classified this substance with 'Irritating to skin' (R38). Eye Species: rabbit Result: Irritant. Method: Draize test Literature data. Sensitization Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. Mouse Local Lymph Node Assay (LLNA) Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429 The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Carcinogenicity	Assessment of carcinogenicity: In long-term animal studies in which the substance was given by inhalation, a carcinogenic effect was not observed. In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed. In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans. The whole of the information assessable provides no indication of a carcinogenic effect.
Genetic toxicity	Assessment of mutagenicity: The substance was not mutagenic in bacteria. No mutagenic effect

	was found in various tests with mammalian cell culture and mammals.
LC50 Inhalation - Rat	> 5.1 mg/l (OECD Guideline 403) Exposure time: 4 h An aerosol was tested. Limit concentration test only (LIMIT test). No mortality was observed.
LD50 Dermal - Rat	5,000 mg/m ³ ; Species: rat (male/female) Value: > 5,000 mg/kg (OECD Guideline 402) Literature data.
LD50 Oral - Rat	4,150 mg/kg (OECD Guideline 401) Literature data.
Repeated dose toxicity	Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the testes after repeated inhalation of high doses. Experiment
Reproductive toxicity	Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.
Symptoms of Exposure	Medical conditions aggravated by overexposure Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product.
Tetragenicity	Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals.
Phosphoric Acid(7664-38-2)	
Additional Information	RTECS: TB6300000 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, May cause cyanosis. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
Inhalation:	No data available.
LD50 Dermal - Rabbit	2,740 mg/kg Remarks: Behavioral: Somnolence (general depressed activity). Behavioral: Excitement. No data available.
LD50 Oral - Rat - Acute toxicity	> 5,000 mg/kg, (OECD Test Guideline 423),
Reproductive toxicity	No data available.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	Eyes - Rabbit Result: Corrosive
Skin corrosion/irritation	Skin - Rabbit Result: Causes burns. - 24 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Polyethylene glycol octylphenyl ether(9036-19-5)	
Additional Information	RTECS: Not available Ingestion of large amounts may cause:, Nausea, Diarrhea
Aspiration hazard	No data available.
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
Inhalation	No data available.
LD50 Dermal - Rabbit	>16,000 mg/kg, Dermal - Rabbit
LD50 Oral - Rat - Acute Toxicity	>16,000 mg/kg, Oral - Rat
Reproductive toxicity	Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	Mild eye irritation.
Skin corrosion/irritation	Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin.
Specific target organ toxicity - repeated	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

exposure	
Specific target organ toxicity - single exposure	The substance or mixture is not classified as specific target organ toxicant, single exposure.
Polyethylene glycol(25322-68-3)	
Additional Information	RTECS: Not available. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Dermal	No data available.
Germ cell mutagenicity	No data available.
Inhalation	No data available.
LD50 Oral - Rat - Acute Toxicity	>15,000 mg/kg, Oral - Rat
Reproductive toxicity	No data available.
Respiratory or skin sensitisation	No data available.
Serious eye damage/eye irritation	Eyes - Rabbit Result: Mild eye irritation - 24 h
Skin corrosion/irritation	Skin - Rabbit Result: Mild skin irritation - 24 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.

12. ECOLOGICAL INFORMATION

Ethylene glycol mono butyl ether(111-76-2)	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: 0.83
EC50 (Algae)	911 mg/l End point: Biomass Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: no
EC50 (Daphnia)	1,800 mg/l(48 h; Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
LC50 (fish)	1,474 mg/l Pimephales promelas (Fathead minnow))Exposure time: 96 h Test Type: static test, Method: OECD Test Guideline 203 GLP: no
Mobility in soil	No data available
Other adverse effects	No data available
Persistence and degradability	Aerobic Inoculum: Activated sludge, domestic, adaption not specified, Result: Readily biodegradable. Biodegradation: 90.4 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: no
Product	Regulation: 40CFR Protection of Environment, Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class 1 Substances:
n-Methyl-2-pyrrolidone(872-50-4)	
Additional information	Sum parameter Chemical oxygen demand (COD): (DIN 38409 Part 41) approx. 1,600 mg/g Biochemical oxygen demand (BOD) Incubation period 5 d: < 2 mg/g Absorbable organically-bound halogen (AOX): This product contains no organically-bound halogen.
Bioaccumulative potential	Assessment bioaccumulation potential Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.
EC50 (Algae)	> 500 mg/l, (72 h), Scenedesmus subspicatus (DIN 38412 Part 9) The details of the toxic effect relate to the nominal concentration.
EC50 (Daphnia)	> 1,000 mg/l, (24 h), Daphnia magna (DIN 38412 Part 11, static) The details of the toxic effect relate to the nominal concentration.
LD50 (fish)	> 500 mg/l, Salmo gairdneri, syn. O. mykiss (static) The details of the toxic effect relate to the nominal concentration.
Microorganisms/Effect on activated sludge	Toxicity to microorganisms DIN EN ISO 8192 aquatic activated sludge, industrial/EC50 (0.5 h): > 600 mg/l The details of the toxic effect relate to the nominal concentration.
Mobility in soil	Assessment transport between environmental compartments The substance will rapidly evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not

	expected.
Persistence and degradability	Assessment biodegradation and elimination (H2O) Readily biodegradable (according to OECD criteria). Elimination information 73 % BOD of the ThOD (28 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (aerobic, Inoculum conforming to MITI requirements (OECD 301C)) Readily biodegradable (according to OECD criteria). Assessment of stability in water In contact with water the substance will hydrolyse slowly.
Phosphoric Acid(7664-38-2)	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	May be harmful to aquatic organisms due to the shift of the pH.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Toxicity	No data available.
Polyethylene glycol octylphenyl ether(9036-19-5)	
Bioaccumulative potential	No data available.
EC50 - Daphnia magna - Toxicity to daphnia and other aquatic invertebrates	2,500 mg/l - 48 h, Daphnia magna (Water flea)
IC50 - Bacteria - Toxicity to bacteria	>5,000 mg/l - 16 h, Bacteria
LC50 - Pimephales promelas - Toxicity to fish	440 mg/l - 96 h, Pimephales promelas (fathead minnow)
Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
Persistence and degradability	Biodegradability Result: - According to the results of tests of biodegradability this product is not readily biodegradable.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Polyethylene glycol(25322-68-3)	
6 Other adverse effects	No data available.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Toxicity	No data available.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

GENERAL INFORMATION : No data available.

DISPOSAL METHOD: Dispose of waste and residues in accordance with Local, State, and Federal Regulations. Mix with compatible chemical which is less flammable and incenerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind or weld or near this container.

14. TRANSPORT INFORMATION

***CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRICTIONS THAT MAY APPLY.**

USDOT GROUND

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME (DOT) : Not Regulated By D.O.T., 49 CFR

HAZARDS CLASS : Not Applicable

UN/NA NUMBER : Not Applicable

PACKING GROUP : Not Applicable

EMERGENCY RESPONSE GUIDE (ERG) : Not Applicable

IATA (AIR)
DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)
PROPER SHIPPING NAME : Not Regulated
HAZARDS CLASS : Not Applicable
UN/NA NUMBER : Not Applicable
PACKING GROUP : Not Applicable
EMERGENCY RESPONSE GUIDE (ERG) : Not Applicable

IMDG (OCEAN)
PROPER SHIPPING NAME : Not Regulated
HAZARDS CLASS : Not Applicable
UN/NA NUMBER : Not Applicable
PACKING GROUP : Not Applicable
EMERGENCY RESPONSE GUIDE (ERG) : Not Applicable

MARINE POLLUTANT : No
SPECIAL PRECAUTIONS : P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P235 Keep cool.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

All ingredients in Section #3 are TSCA (Toxic Substance Control Act) listed.

OSHA HAZARDS : Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen.

EPCRA - Emergency

CERCLA REPORTABLE QUANTITY

This product contains:	Chemical CAS#
Ethylene glycol mono butyl ether	111-76-2

SARA 304 Extremely Hazardous Substances Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SARA 311/312 Hazards : Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 :

This product contains:	Chemical CAS#
n-Methyl-2-pyrrolidone	872-50-4
Ethylene glycol mono butyl ether	111-76-2
Phosphoric Acid	7664-38-2

CLEAN AIR ACT :

INTERNATIONAL REGULATIONS

CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :

Acute Toxicity Oral, Cat. 4; H302
Eye Irrit. Cat., 2A; H320

NATIONAL REGULATIONS

Indicates a chemical listed by IARC as a possible carcinogen.

STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product contains:	Chemical CAS#
+n-Methyl-2-pyrrolidone	872-50-4

*This product contains (a) chemical (s) known to the State of California to cause cancer.

#This product contains (a) chemical (s) known to the State of California to be carcinogenic.
 +This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

Massachusetts Right to Know

This product contains	Chemical CAS#
n-Methyl-2-pyrrolidone	872-50-4
Ethylene glycol mono butyl ether	111-76-2
Phosphoric Acid	7664-38-2

Pennsylvania Right to Know

This product contains	Chemical CAS#
n-Methyl-2-pyrrolidone	872-50-4
Ethylene glycol mono butyl ether	111-76-2
Polyethylene glycol octylphenyl ether	9036-19-5
Phosphoric Acid	7664-38-2
Water	7732-18-5
Polyethylene glycol	25322-68-3

New Jersey Right to Know

This product contains	Chemical CAS#
n-Methyl-2-pyrrolidone	872-50-4
Ethylene glycol mono butyl ether	111-76-2
Polyethylene glycol octylphenyl ether	9036-19-5
Phosphoric Acid	7664-38-2
Water	7732-18-5
Polyethylene glycol	25322-68-3

16. OTHER INFORMATION

Other Product Information


% Volatile by Volume: 97.13	% Volatile by Weight: 96.34
% Solids by volume: 2.87	% Solids by Weight: 3.66
% Exempt by Volume: 76.93	% Exempt by Weight: 76.89

VOC CONTENT: Excluding Exempt VOC: 843
 Including Exempt VOC: 195

HMIS RATING

Health :	2*
Flammability :	2
Reactivity :	0
Personal Protection :	H

NFPA CODES



MANUFACTURER DISCLAIMER : The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Industrial Finishes makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.