

# SAFETY DATA SHEET



<b>DATE ISSUED :</b>	5/2/2016
<b>SDS REF. No :</b>	W-700-A

## W-700-A SOLVENTBORNE ADHESION PROMOTER FOR USE ON PPO PLASTIC

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** W-700-A SOLVENTBORNE ADHESION PROMOTER  
FOR USE ON PPO PLASTIC

**PRODUCT CODE:** W-700-A  
**PRODUCT USE:** Industrial Solventborne Blend

**MANUFACTURER**  
Cardinal Industrial Finishes  
1329 Potrero Ave

S. El Monte, CA,  
626 444-9274

**24 HR. EMERGENCY TELEPHONE NUMBER**  
**CHEMTREC (US Transportation):** (800)424-9300  
**CHEMTREC (International Transportation)** : 1(202)483-7616  
**WEB:** WWW.CARDINALPAINT.COM

### 2. HAZARDS IDENTIFICATION

#### PICTOGRAMS



**SIGNAL WORD :** DANGER

#### HAZARD STATEMENTS :

H226 Flammable liquid and vapor.  
H302 Harmful if swallowed.  
H315 Causes serious eye irritation.

#### PRECAUTIONARY STATEMENTS :

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P243 Take precautionary measures against static discharge.  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P270 Do not eat, drink or smoke when using this product.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up.  
P501 Dispose of in accordance with Local, Regional, State, Federal, and International Regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
Parachlorobenzotrifluoride	45% - 50%	98-56-6

Acetone	30% - 35%	67-64-1	
Xylene	10% - 15%	1330-20-7	
Phenylethane	5% - 10%	100-41-4	

#### 4. FIRST AID MEASURES

##### Description of first aid measures.

**EYES CONTACT :** Flush with large quantities of water for 15 to 30 minutes. Remove contact lenses. Keep eyes wide open while rising. If eye irritation persists: Get medical attention.

**SKIN CONTACT :** Wash exposed area with mild soap and water for 15 to 30 minutes. Remove contaminated clothing. Repeated exposure may cause dryness or cracking.

**INGESTION :** Rinse mouth. Do NOT induce vomiting. Keep victim warm and seek immediate attention.

**INHALATION :** Remove to fresh air and keep in a position comfortable to breath. Call a doctor/physician if you feel unwell. Get medical attention.

**Most important symptoms and effects, both acute and delayed.** Symptoms/injuries: Eye irritation

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Cause serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed.

If medical advice is needed, have product container or label on hand.

#### 5. FIRE FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA :** In the event of a fire, use specifically suitable extinguishing agents. Suitable extinguishing media: Foam, alcohol resistant foam, CO<sub>2</sub>, water fog. Unsuitable extinguishing media: Do not use heavy water stream. A heavy water stream may spread burning liquid.

**FIRE FIGHTING PROCEDURE :** Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

**UNUSUAL FIRE AND EXPLOSION HAZARD :** Fire hazard: Highly flammable/liquid or vapor.

Explosive hazard: May form flammable/explosive vapor-air mixture.

#### 6. ACCIDENTAL RELEASE MEASURES

##### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :

General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

##### FOR NON-EMERGENCY PERSONNEL :

For non-Emergency procedures: Evacuate unnecessary personnel.

##### FOR EMERGENCY RESPONDERS :

Equip cleanup crew with proper protection. Avoid breathing fume, vapors.

##### ENVIRONMENTAL PRECAUTIONS :

Prevent entry to sewers and public waters.

##### METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP :

Collect damaged aerosols and use absorbent and/or inert material, then place in suitable container.

#### 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING :** Additional hazards when processed: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area to prevent formation of vapor. No smoking. Use only non-sparking tools. Use outdoors or in a well ventilated area. Avoid breathing fume, vapors. Hygiene measures: Wash Skin thoroughly after handling.

**CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES :** Storage conditions: Store in a dry, cool and well-ventilated place away from: Heat sources. Direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight. Heat Sources.

## 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Acetone(67-64-1)		
USA ACGIH	ACGIH STEL TLV	750 ppm
USA ACGIH	ACGIH TWA TLV	500 ppm
USA NIOSH	NIOSH STEL (Table Z-1)	1,000 ppm, 2,400 mg/m3
USA NIOSH	NIOSH TWA	250 ppm, 590 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	1,000 ppm, 2,400 mg/m3
Parachlorobenzotrifluoride(98-56-6)		
USA ACGIH	USA ACGIH	Contains no substances with exposure limit values.
Phenylethane(100-41-4)		
USA ACGIH	ACGIH STEL	125 ppm
USA ACGIH	ACGIH TWA	20 ppm
USA NIOSH	NIOSH REL	100 ppm, 435 mg/m3
USA NIOSH	NIOSH REL (ST)	125 ppm, 545 mg/m3
USA OSHA	OSHA STEL	125 ppm, 545 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	100 ppm, 435 mg/m3
Xylene(1330-20-7)		
USA ACGIH	ACGIH STEL	150 ppm
USA ACGIH	ACGIH TWA	100 ppm
USA OSHA	OSHA TWA (Table Z-1)	100 PPM, 435 mg/m3

## PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION :** If TLV of the product or any component is exceeded, a NIOSH approved dust respirator is advised in absence of environmental control. OSHA Regulations also permit other NIOSH dust respirators under specified conditions. (See your Safety Equipment Supplier) Engineering or administrative controls should be implemented to reduce exposure.

**HAND PROTECTION REMARKS :** The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**EYES PROTECTION :** Eye wash bottle with pure water.  
Tightly fitting safety goggles.  
Where face-shield and protective suit for abnormal processing problems.

**SKIN AND BODY PROTECTION :** Wear impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**WORK HYGIENIC PRACTICES:** When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	:	Liquid
<b>Color</b>	:	Various colors depending on the pigmentation.
<b>Odor</b>	:	Characteristic. Sweet. Mint like.
<b>Odor threshold</b>	:	No data available.
<b>Ph</b>	:	N/A - See Technical Data Sheet
<b>Evaporation rate</b>	:	Slower Than Ether
<b>Melting point</b>	:	-94.7 C (-138.46 F)
<b>Freezing point</b>	:	No data available.
<b>Boiling point</b>	:	133.0 deg F TO 282.0 Deg F
<b>Flash point</b>	:	-4.00 deg F

<b>Lower explosion limit</b>	:	.8
<b>Upper explosion limit</b>	:	12.8
<b>Vapor pressure</b>	:	185 mm Hg
<b>Vapor density</b>	:	Heavier than air
<b>Relative density</b>	:	No data available.
<b>Density</b>	:	8.5976
<b>Solubility</b>	:	No data available.
<b>Partion coefficient: n-octanol/water</b>	:	No data available.
<b>Autoignition temperature</b>	:	No data available.
<b>Decomposition temperature</b>	:	No data available.

## 10. STABILITY AND REACTIVITY

**REACTIVITY :** No dangerous reaction known under conditions of normal use.

**CHEMICAL STABILITY :** Stable under normal conditions.

**CONDITIONS TO AVOID :** Extremely high temperatures, poor ventilation and excessive aging.

**INCOMPATIBLE MATERIALS :** Avoid contact with strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

## 11. TOXICOLOGICAL INFORMATION

Acetone(67-64-1)	
Aspiration toxicity	Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above TLV value may cause narcotic effects., Solvents may degrease the skin.
Carcinogenicity	Species: mouse, (female), Application Route: Dermal; Exposure time: .365 d (90%) or 424 d (100%), Dose: 0.1ml 90(71mg) or 100% (79mg), Frequency of Treatment: 3 times a wk, NOAEL: 79; Result: did not display carcinogenic properties., Carcinogenicity-Assessment: Not classified as a human carcinogen.
Germ cell mutagenicity	Test Type: mammalian cell gene mutation assay. Test species: Mouse Lymphoma, Metabolic activation: Without metabolic activation; Method: OECD Guideline 476; Result: negative; Test Type: Ames test, Metabolic activation: Without metabolic activation; Method: OECD Guideline 471; Result: negative, Test Type: Chromosome aberration test in vitro, Test species: Chinese hamster ovary (CHO), Metabolic activation: Without metabolic activation; Method: OECD Guideline 473; Result: negative; Genotoxicity in vivo: Test Type: I vivo micronucleus test. Test species: Mouse, Application Route: Oral, Exposure: 13 wk, Dose: 5,000, 10,000, 20,000 ppm, Result: negative
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat) Inhalation	76 mg/l (4 h exposure)
LD50 (rat) Oral	5,800 mg/kg; Symptoms: tremors
LD50 Dermal	>7,426 mg/kg
Repeated dose exposure	Species: mouse, male, NOAEL: 20,000, Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available.; Species: mouse, female, NAOEL 20000, LAOEL: 50000; Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available; Repeated dose toxicity Assessment: causes mild skin irritation., Causes serious eye irritation.
Reproductive toxicity	Effects on fertility: Species: rat, male; Application Route: oral; Dose: 0, 5,000, 10,000 mg/l; Frequency of Treatment: 7 days/week; General Toxicity - Parent: LOAEL: 10,000; Fertility: 10,000; Effects on fetal development: Species: rat; Application Route: Inhalation; Dose: 0, 440, 2200, 11,000 ppm; Frequency of Treatment: 7 days/week; General Toxicity Material: NOAEC: 2,200 ppm; Tetragenicity: NOAEC: 2,200 ppm; Embryo-fetal toxicity:: NOAEC: 2,200 ppm; Result: No teratogenic potential. GLP: No data Available. Reproductive toxicity Assessment: Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitisation	Test type: Maximization test, Species: guinea pig, Assessment: Does not cause skin sensitization. Result: Did not cause sensitization on laboratory animals.
Serious eye damage/eye irritation	Species: rabbit, Result: Slightly irritating to eyes, Exposure time: 24 h, Classification: Irritating to eyes, Remarks: Eye irritation.
Skin corrosion/irritation	Species: rabbit, Exposure time: 24 h, Classification: Not irritating to skin, Method: In

	vivo, Result: Mild irritation, Remarks: Repeated or prolonged contact with the mixture may cause removal natural fat from the skin resulting in desiccation of the skin.
STOT - single exposure	Exposure routes: Inhalation (vapor); Assessment: May cause drowsiness or dizziness.
STOT- repeated exposure	No data available.
Parachlorobenzotrifluoride(98-56-6)	
Additional Information	RTECS: XS9145000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	Human Embryo Unscheduled DNA synthesis.
LD50 Oral - Rat	13,000 mg/kg Dermal: No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	No data available.
Skin corrosion/irritation	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	Inhalation - May cause respiratory irritation.
Phenylethane(100-41-4)	
Aspiration toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Inhalation Exposure time: 103 wk Activity duration: 6 h Dose: 0, 75, 250, 750 ppm Frequency of Treatment: 5 days/week NOAEL: 250 ppm Method: OECD Test Guideline 453 Result: evidence of carcinogenic activity Symptoms: increased incidences of alveolar/bronchiolar neoplasms, increase incidence of hepatocellular carcinomas GLP: yes Carcinogenicity - Assessment: Carcinogenicity classification not possible from current data.
Germ cell mutagenicity	Genotoxicity in vitro, Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: no : Test Type: Mammalian cell gene mutation assay Test species: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method : OECD Test Guideline 476 Result: negative GLP: yes Genotoxicity in vivo : Test Type: In vivo micronucleus test species: mouse (male) Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: yes Test Type: DNA damage and/or repair Test species: mouse (male and female)Application Route: Inhalation Method: OECD Test Guideline 486 Result: negative GLP: yes Germ cell mutagenicity Assessment : In vivo tests did not show mutagenic effects
LC50 (Mouse, Male)	10 mg/l Assessment: The component/mixture is moderately toxic after short term inhalation.
LD50 (rabbit)	15,433 mg/kg
Repeated dose toxicity	Species: rat, male and female NOAEL: 75 mg/kg Application Route: Oral Exposure time: 28 d Dose: 75, 250 and 750 mg/kg bw/day Method: OECD Test Guideline 407 GLP: yes Symptoms: Increased kidney and liver weights
Reproductive toxicity	Effects on fertility : Test Type: One generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500 and 1000 ppm Duration of Single Treatment: 6 h General Toxicity - Parent: NOAEC: 1,000 ppm General Toxicity F1: NOAEC: 100 ppm Symptoms: Reduced fetal weight. Reduced offspring weight gain. Method: OECD Test Guideline 415 Result: No reproductive effects. GLP: yes Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000, 2000 ppm Duration of Single Treatment: 15 d General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: 2,000 ppm Developmental Toxicity: NOAEC: 500 ppm Symptoms: Reduced body weight Method: OECD Test Guideline 414 Result: Developmental toxicity occurred at maternal toxicity dose levels GLP: No data available Reproductive toxicity - Assessment : No toxicity to reproduction Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation Remarks: No data available
Skin corrosion/irritation	Species: rabbit Result: Mild skin irritation
STOT - repeated exposure	Target Organs: Auditory system Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target

	organ toxicant, repeated exposure, category 2.
STOT - single exposure	No data available.
<b>Xylene(1330-20-7)</b>	
Acute dermal toxicity	Acute toxicity estimate: 1,100 mg/kg Method: Expert judgment.
Acute inhalation toxicity	Acute toxicity estimate, 4631 ppm Exposure time, 4 h Test atmosphere: gas Method; Calculation method.
Acute toxicity Product	Acute oral toxicity: Acute toxicity estimate : 3,523 mg/kg Method: Calculation method.
Aspiration Toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Oral Exposure time: 103 wk Dose: 0, 500 or 1000 mg/kg Frequency of Treatment: 5 days/week Method: Directive 67/548/EEC, Annex V, B.32. Result: did not display carcinogenic properties GLP: No data available, Carcinogenicity - Assessment: Animal testing did not show any carcinogenic effects.
Germ cell mutagenicity	Test Type: Chromosome aberration test in vitro. Test Species: Chinese hamster ovary (CHO) Metabolic Activation: With and without metabolic activation. Method Mutagenicity (in vitro mammalian cytogenetic test) Result: Negative. Test Type: Sister chromatid exchange assay in mammalian cells.
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat, male) Inhalation	6700 ppm Exposure time: 4 h Method: Directive 67/548/EEC, Annex V, B.2. GLP: No data available Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation. Remarks: Acutely Toxic Category 4
LC50 (rat, male) Oral	3,523 mg/kg Method: EU Method B.1 (Acute Toxicity, Oral) Target Organs: Kidney, Bladder GLP: no
Repeated dose toxicity	Species: rat, male and female NOAEL: 250 mg/kg Application Route: Oral Exposure time: 103 wk Number of exposures: 5 d/wk Dose: 0, 250 or 500 mg/kg Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 25, 100 and 500 ppm Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: > 500 ppm General Toxicity F1: NOAEC: > 500 ppm Early Embryonic Development: NOAEC: > 500 ppm Result: No reproductive effects. Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000 or 2000 ppm Duration of Single Treatment: 14 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: > 2,000 Developmental Toxicity: NOAEC: 100 ppm Result: No teratogenic effects., Developmental toxicity occurred at maternal toxicity dose levels Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility. Damage to fetus not classifiable
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation
Skin corrosion/irritation	Species: rabbit Exposure time: 24 h Result: Irritating to skin Remarks: Skin irritation, Category 2
STOT - repeated exposure	Target Organs: Liver, Kidney, Central nervous system Assessment: May cause damage to organs through prolonged or repeated exposure.
STOT - single exposure	No data available.

## 12. ECOLOGICAL INFORMATION

<b>Acetone(67-64-1)</b>	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: -0.24
EC50 (Daphnia magna (Water flea))	7,630 mg/l (Exposure time 48 h); Test substance: Acetone
LC50 (Oncorhynchus mykiss (rainbow trout))	6,100 mg/l (Exposure time: 48 h)
Mobility in soil	No data available.
Other adverse effects	No data Available. Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances., Additional ecological information: No data available.
Persistence and degradability	Biodegradability: Remarks: No data available
Toxicity to algae	Remarks: No data available
<b>Parachlorobenzotrifluoride(98-56-6)</b>	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	No data available.

Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Toxicity	No data available.
<b>Phenylethane(100-41-4)</b>	
Bioaccumulative potential	Partition coefficient: noctanol/water : log Pow: 2.92
EC50 (Daphnia magna (Water flea))	1.8 mg/l Exposure time: 48 h Test Type: static test
EC50 (Pseudokirchneriella subcapitata)	5.4 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Static GLP: yes
LC50 (Oncorhynchus mykiss (rainbow trout))	4.2 mg/l Exposure time: 96 h Test Type: semi-static test
Mobility in soil	No data available.
Other adverse effects	Results of PBT and vPvB assessment: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).
Persistence and degradability	Biodegradability: Inoculum: activated sludge Concentration: 22 mg/l Result: Readily biodegradable. Biodegradation: 70 % Exposure time: 28 d GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	(Daphnia): 3.6 mg/l Toxicity to bacteria: GLP: Remarks: No data available Ecotoxicology Assessment Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.
<b>Xylene(1330-20-7)</b>	
Bioaccumulative potential	Partition coefficient: noctanol/water : log Pow: 2.77 - 3.15
EC50 (Pseudokirchneriella subcapitata)	4.36 mg/l End point: Growth rate Exposure time: 73 h Test Type: static test Analytical monitoring: yes
IC50 (Daphnia magna (Water flea))	1 mg/l Exposure time: 24 h Test Type: static test substance: Information given is based on data obtained from similar substances. Method: OECD Test Guideline 202 GLP
LC50 (Oncorhynchus mykiss (rainbow trout))	2.6 mg/l Exposure time: 96 h Test substance: Information given is based on data obtained from similar substances. Method: OECD Test Guideline 203 GLP: No data available
Mobility in soil	No data available.
Persistence and degradability	Biodegradability : Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 20 d

### 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**GENERAL INFORMATION :** No data available.

**DISPOSAL METHOD:** Dispose of waste and residues in accordance with Local, State, and Federal Regulations. Mix with compatible chemical which is less flammable and incenerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind or weld or near this container.

### 14. TRANSPORT INFORMATION

**\*CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRICTIONS THAT MAY APPLY.**

#### USDOT GROUND

##### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME (DOT) :** Paint Related Material

**HAZARDS CLASS :** 3

**UN/NA NUMBER :** UN1263

**PACKING GROUP :** PG II

**EMERGENCY RESPONSE GUIDE (ERG) :** 128

#### IATA (AIR)

##### DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)

**PROPER SHIPPING NAME :** Paint, flammable liquid

**HAZARDS CLASS :** 3

**UN/NA NUMBER :** UN1263

**PACKING GROUP :** PG II

**EMERGENCY RESPONSE GUIDE (ERG) :** 128

#### IMDG (OCEAN)

**PROPER SHIPPING NAME :** Paint, flammable liquid

**HAZARDS CLASS :** 3

**UN/NA NUMBER :** UN1263

**PACKING GROUP :** PG II

**EMERGENCY RESPONSE GUIDE (ERG) : 128**

**MARINE POLLUTANT :** No

**SPECIAL PRECAUTIONS :** P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P235 Keep cool.

**15. REGULATORY INFORMATION**

**US FEDERAL REGULATIONS**

All ingredients in Section #3 are TSCA (Toxic Substance Control Act) listed.

**OSHA HAZARDS :** Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen.

**EPCRA - Emergency**

**CERCLA REPORTABLE QUANTITY**

<b>This product contains:</b>	<b>Chemical CAS#</b>
Xylene	1330-20-7
Phenylethane	100-41-4

**SARA 304 Extremely Hazardous Substances Reportable Quantity :** This material does not contain any components with a section 304 EHS RQ.

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**SARA 311/312 Hazards :** Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**SARA 313 :**

<b>This product contains:</b>	<b>Chemical CAS#</b>
Parachlorobenzotrifluoride	98-56-6
Acetone	67-64-1
Xylene	1330-20-7
Phenylethane	100-41-4

**CLEAN AIR ACT :**

<b>This product contains:</b>	<b>Chemical CAS#</b>
Phenylethane	100-41-4

**INTERNATIONAL REGULATIONS**

**CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :**

Flam. Liq. Cat. 2; H226  
Acute Tox. inhalation, Cat. 4; H332  
STOT SE, inhalation, Cat. 3; H335  
Skin Sens. 1; H317

**NATIONAL REGULATIONS**

<b>This product contains:</b>	<b>Chemical CAS#</b>
#Phenylethane	100-41-4

# Indicates a chemical listed by IARC as a possible carcinogen.

**STATE REGULATIONS**

**CALIFORNIA PROPOSITION 65**

<b>This product contains:</b>	<b>Chemical CAS#</b>
*Phenylethane	100-41-4



\*This product contains (a) chemical (s) known to the State of California to cause cancer.  
 #This product contains (a) chemical (s) known to the State of California to be carcinogenic.  
 +This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

**Massachusetts Right to Know**

This product contains	Chemical CAS#
Parachlorobenzotrifluoride	98-56-6
Acetone	67-64-1
Xylene	1330-20-7
Phenylethane	100-41-4

**Pennsylvania Right to Know**

This product contains	Chemical CAS#
Parachlorobenzotrifluoride	98-56-6
Acetone	67-64-1
Xylene	1330-20-7
Phenylethane	100-41-4

**New Jersey Right to Know**

This product contains	Chemical CAS#
Parachlorobenzotrifluoride	98-56-6
Acetone	67-64-1
Xylene	1330-20-7
Phenylethane	100-41-4

**16. OTHER INFORMATION**

**Other Product Information**


% Volatile by Volume: 98.88	% Volatile by Weight: 97.26
% Solids by volume: 1.12	% Solids by Weight: 2.74
% Exempt by Volume: 78.45	% Exempt by Weight: 80.19

**VOC CONTENT:**                      Excluding Exempt VOC: 816  
 Including Exempt VOC: 176

**HMIS RATING**

Health :	2
Flammability :	3
Reactivity :	0
Personal Protection :	H

**NFPA CODES**



**MANUFACTURER DISCLAIMER :** The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Industrial Finishes makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.