

#### **BRONZE** T012-BR161

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** T012-BR161 BRONZE **PRODUCT USE: Industrial Powder Coating** 

**MANUFACTURER 24 HR. EMERGENCY TELEPHONE NUMBER** 

Cardinal Paint and Powder CHEMTREC (US Transportation): (800)424-9300 **CHEMTREC (International Transportation)**: (202)483-7616 1329 Potrero Ave

S. El Monte, CA, 91733 WEB: WWW.CARDINALPAINT.COM 626 444-9274

#### 2. HAZARDS IDENTIFICATION

#### **PICTOGRAMS:**



**SIGNAL WORD: DANGER** 

### **HAZARD STATEMENTS:**

- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H318 Causes serious eye damage.
- H340 May cause genetic defects.

#### PRECAUTIONARY STATEMENTS:

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                  | Weight %      | CAS Number |  |
|--------------------------------|---------------|------------|--|
| 1,3,5-Triglycidyl Isocyanurate | 1% - 5%       | 2451-62-9  |  |
| Titanium Dioxide               | 1% - 5%       | 13463-67-7 |  |
| Carbon Black                   | 0.50% - 0.99% | 1333-86-4  |  |

#### 4. FIRST AID MEASURES

#### Description of first aid measures.

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.



**ISSUED:** 6/23/2016 **REFERENCE:** BR161-T012

**SKIN CONTACT:** Remove affected clothing and wash all exposed area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Wash with plenty of soap and water. Get medical advice/attention. Wash contaminated clothing before reuse. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

**INGESTION:** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a Poison Center or doctor/physician if you feel unwell

**INHALATION:** Allow Victim to breathe fresh air. Allow victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Center or doctor/physician if you feel unwell

**Most important symptoms and effect, both acute and delayed :** Symptoms/Injuries: May cause genetic defects. Causes damage to organs. - After Inhalation: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause an allergic skin reaction. May cause cancer by inhalation. - After Eye Contact: Causes serious eye damage. - After Ingestion: Swallowing a small quantity of this material may result in serious health hazard. Indication of any immediate medical attention and special treatment needed: No additional information available.

#### 5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Foam, alcohol foam, dry chemical, carbon dioxide, water fog or sand.

UNSUITABLE EXTINGUISHING MEDIA: Do not use heavy water stream.

**FIRE FIGHTING PROCEDURE:** Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

UNUSUAL FIRE AND EXPLOSION HAZARD: This product is stable at normal handling and storage conditions.

### **6. ACCIDENTAL RELEASE MEASURES**

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :** General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

FOR NON-EMERGENCY PERSONNEL: For non-Emergency procedures: Evacuate unnecessary personnel.

**FOR EMERGENCY RESPONDERS :** Protective equipment : Equip cleanup crew with proper protection. - Emergency procedures : Ventilate area.

**ENVIRONMENTAL PRECAUTIONS:** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public water. Avoid release to the environment.

**METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP:** On land, sweep or shovel into suitable containers,. Minimize generation of dust.

#### 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area. Use only in well ventilated areas. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so. Avoid breathing dust, fumes and/or vapors.

Hygiene measures: Wash Skin thoroughly after handling.

**CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:** Avoid heat sources and direct sunlight. Store in a dry place. Protect from moisture. Keep container closed when not in use. Keep only in the original container in a cool well ventilated place away from heat, ignition sources and direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight.



#### 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

| 1,3,5-Triglycidyl Isocyanurate(2451-62-9) |                             |                            |  |
|---|-----------------------------|----------------------------|--|
| ACGIH TLV (Threshold Limit Value)         | TWA (Time Weighted Average) | 0.05 mg/m3 8 hours         |  |
| Carbon Black(1333-86-4)                   |                             |                            |  |
| ACGIH TLV (Threshold Limit Value)         | TWA (Time Weighted Average) | 3 mg/m3 8 hours            |  |
| NIOSH REL (Recommended Exposure           | TWA (Time Weighted Average) | 0.1mg of PAHs/cm3 10 hours |  |
| Limit )                                   |                             |                            |  |
| NIOSH REL (Recommended Exposure           | TWA (Time Weighted Average) | 3.5 mg/m3 8 hours          |  |
| Limit)                                    |                             |                            |  |
| OSHA PEL (Permissible Exposure Limit)     | TWA (Time Weighted Average) | 3.5 mg/m3 8 hours          |  |
| Crystalline Silica(14808-60-7)            |                             |                            |  |
| ACGIH TLV (Threshold Limit Value)         | TWA (Time Weighted Average) | 0.025 mg/m3 8 hours        |  |
| Limestone(1317-65-3)                      |                             |                            |  |
| ACGIH                                     | Not Applicable              | Not Applicable             |  |
| Titanium Dioxide(13463-67-7)              |                             |                            |  |
| ACGIH TLV (Threshold Limit Value)         | TWA (Time Weighted Average) | 10 mg/m3 8 hours           |  |
| OSHA PEL (Permissible Exposure Limit)     | TWA (Time Weighted Average) | 15 mg/m3 8 hours           |  |

#### PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION:** Wear approved dust mask.

**HAND PROTECTION:** Wear protective gloves.

**EYE PROTECTION:** Chemical goggles or safety glasses.

**SKIN AND BODY PROTECTION:** Wear suitable protective clothing.

WORK HYGIENIC PRACTICES: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state            | : | Solid               |
|---------------------------|---|---------------------|
| Melting point             | : | 55 - 90 deg C       |
| Flash point               | : | No data available.  |
| Lower explosion limit     | : | 10 g/m <sup>3</sup> |
| Upper explosion limit     | : | 70 g/m <sup>3</sup> |
| Density                   | : | 1.6087              |
| Solubility                | : | No data available.  |
| Autoignition temperature  | : | No data available.  |
| Decomposition temperature | : | No data available.  |

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** This product is stable at normal handling and storage conditions.

CHEMICAL STABILITY: Stable under normal conditions.

**CONDITIONS TO AVOID:** Direct sunlight. Extremely high or low temperatures.

**INCOMPATIBLE MATERIALS:** Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Fume. Carbon monoxide. Carbon dioxide.

#### 11. TOXICOLOGICAL INFORMATION

| 1,3,5-Triglycidyl Isocyanurate(2451-62-9) |   |
|---|---|
| ACGIH                                     | No component of this product present at levels greater than or equal to |
|   | 0.1% is identified as a carcinogen or potential carcinogen by ACGIH     |



| Acute toxicity - LC50 - inhalation - rat - male - 4 h                 | > 650 mg/m3  |
|---|--|
| Acute toxicity - LD50 - Dermal - rat- male & female                   | > 2000 mg/kg   |
| Acute toxicity - LD50 - oral - rat                                    | 100 - 200 mg/kg  |
| Additional information  | To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated   |
| Aspiration hazard   | No data available  |
| Eye irritation - rabbit   | Severe eye irritation  |
| Germ cell mutagenicity  | In vivo tests showed mutagenic effects   |
| Germ cell mutagenicity - AMES test -                                  | Positive   |
|   | Positive   |
| mouse - male  | D. W.  |
| Germ cell mutagenicity - AMES test - S.                               | Positive   |
| typhimurium   |  |
| IARC  | No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC   |
| NTP   | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP   |
| OSHA  | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA   |
| Reproductive toxicity   | No data available  |
| Respiratory or skin sensation -                                       | May cause sensitization by skin contact  |
| Maximization test - guinea pig  | They saude sense by same contact   |
| Skin irritation - rabbit  | Mild skin irritation - 24 hours  |
| Specific target organ toxicity - repeated                             | No data available  |
| exposure  | No data available  |
| Specific target organ toxicity - single                               | No data available  |
| exposure 2-Mercaptobenzothiazole(149-30-4)                            |  |
|   | No serve of this and of an area to be a served to  |
| ACGIH   | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  |
| Acute toxicity - LC50 - inhalation - rat                              | > 1270 mg/m3   |
| Acute toxicity - LD50 - dermal - male and female rabbit               | > 7940 mg/kg   |
| Acute toxicity - LD50 - oral - male and femal rat                     | 3800 mg/kg   |
| Additional information  | Repeated dose toxicity - male and female rat - lowest observed adverse effect level - 2500 mg/kg   |
| Additional information  | To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated   |
| Aspiration hazard   | No data available  |
| Eye irritation - rabbit   | No eye irritation / 24 h   |
| Germ cell mutagenicity - Ames test - S.                               | Negative   |
| typhimurium   |  |
| Germ cell mutagenicity - male and female mouse                        | Negative   |
| IARC  | No component of this product present at levels greater than or equal to $0.1\%$ is identified as a probable, possible or confirmed human carcinogen by IARC  |
| NTP   | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen  |
| OSHA  | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA   |
| Reproductive toxicity   | No data available  |
| Respiratory or skin sensitisation - Buehler test - guinea pig         | May cause allergic skin reaction   |
| Respiratory or skin sensitisation -<br>Maximisation test - guinea pig | May cause allergic skin reaction   |
| Skin irritation - rabbit  | No skin irritation / 24 h  |
| Specific target organ toxicity - repeated                             | No data available  |
| exposure Specific target organ toxicity - single                      | No data available  |
| exposure  |  |
| Barium Sulfate(7727-43-7)   | In the second se |
| ACGIH   | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  |



| Acute toxicity - Dermal Adultional Information No data available Adultional Information No data available Adultional Information Prolonged inhalation of dust may cause baritosis, a benign pneumoconosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation. Damage to the lungs, in Che best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  Adultional information Aspiration hazard No data available Requivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors Respiration: Tumors Respiration: Tumors Respiration: Tumors No data available No reported data No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by INFO No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA No data available No per irritation - Rabbit No per irritation, (DECD Test Guideline 405) Ames test, S. typhimurium, negative Loso Inhalation - Rat No data available No per irritation - Rabbit No per irritation, (DECD Test Guideline 405) Ames test, S. typhimurium, negative No component of this prod |   |  |
|--|---|--|
| Additional information   Prolonged inhalation of dust may cause baritosis, a benign pneumoconiosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation, Damage to the Lungs,, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  Additional information   Stomach irregularities - based on human evidence   Aspiration hazard   No data available   Germ cell mutagenicity - rat - intrapleural - Equivocal tumorigenic   Equivocal tumorigenic   Sey irritation   No data available   No reported data   Informacies test   No reported data   No reported reported tall evels greater than or equal to   0.1% is identified as a known or anticipated carcinogen by NTP   No component of this product present at levels greater than or equal to   0.1% is identified as a carcinogen or potential carcinogen by OSHA   No data available   No data | Acute toxicity - Dermal                         | No data available  |
| pneumoconiosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation, Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  Aspiration hazard No data available  Aspiration hazard No data available  Carcinogenicity - rat - intrapleural - Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or tumorigenic Tumoris and the control of the contr | Acute toxicity - inhalation                     |  |
| Aspiration hazard Respiration: Timpleural - Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumorigenic Respiration: Tumors Eye irritation No data available Germ cell mutagenicity - mouse - Mo component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by LARC  NO component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by LARC  NTP No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by NTP  OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP  OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No data available Respiration hazard  Carcinogenicity - Rat - Inhalation  No data available  Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors, This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  No eye irritation, (OECD Test Guideline 405)  Ames test, S. typhimurium, negative IARC 28 - Group 28 - Possibly carcinogenic to humans (carbon black)  No component of this product present at levels greater than or equal to 1.0, 1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity Specific target organ toxicity - repeated exposure: No data available No component of this product present at levels greater than or equal to 1.1% is identified as a a known or anticipated carcinogen by NTP  Organ toxicity Specific target organ toxicity - repeated exposure: No data available No |   | pneumoconiosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation., Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. |
| Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors are intrapleural - Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors and the second and the se   | Additional information                          | Stomach irregularities - based on human evidence   |
| tumorigenic Respiration: Tumors Eye irritation No data available  Germ cell mutagenicity - mouse - micronucleus test  IARC No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP on the productive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No data available  Respiratory or skin sensation No data available  Skin irritation No data available  Specific target organ toxicity - repeated exposure  Apposure  Carbon Black(1333-86-4)  Aspiration hazard No data available  Carcinogenicity - Rat - Inhalation  Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female Negative  Eye damage/irritation - Rabbit No eye irritation, OECD Test Guideline 405)  Ames test, S. typhimurium, negative  Hamster - Ovary Negative  LDS0 Dermal - Rabbit > 3,000 mg/kg  LDS0 Oral - Rat No data available  DS0 Oral - Rat No data available  No component of this product pres | Aspiration hazard                               | No data available  |
| Germ cell mutagenicity - mouse - micronucleus test  IARC  No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC  NTP  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP  No data available  Reproductive toxicity  No data available  Skin irritation  No data available  Skin irritation  No data available  Specific target organ toxicity - repeated exposure  Carbon Black(1333-86-4)  Aspiration hazard  Aspiration hazard  Carcinogenicity - Rat - Inhalation  Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female  Negative  Eye damage/irritation - Rabbit  No eye irritation, (OECD Test Guideline 405)  Armes test, S. Typhimurium, negative  Hamster - Ovary  Negative  1DS0 Inhalation - Rab  No data available  DS0 Oral - Rat  No data available  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity  Specific target organ toxicity - repeated exposure: No data available  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 1.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 1. |   |  |
| Germ cell mutagenicity - mouse - micronucleus test  IARC  No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC  NTP  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP  No data available  Reproductive toxicity  No data available  Skin irritation  No data available  Skin irritation  No data available  Specific target organ toxicity - repeated exposure  Carbon Black(1333-86-4)  Aspiration hazard  Aspiration hazard  Carcinogenicity - Rat - Inhalation  Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female  Negative  Eye damage/irritation - Rabbit  No eye irritation, (OECD Test Guideline 405)  Armes test, S. Typhimurium, negative  Hamster - Ovary  Negative  1DS0 Inhalation - Rab  No data available  DS0 Oral - Rat  No data available  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity  Specific target organ toxicity - repeated exposure: No data available  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 1.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 1. | Eye irritation                                  | No data available  |
| IARC  No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC  NTP  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  OSHA  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity  No data available  Respiratory or skin sensation  Skin Irritation  No data available  Respiratory or skin sensation  No data available  No data available  Specific target organ toxicity - repeated exposure  Carbon Black(1333-86-4)  Aspiration hazard  Carcinogenicity - Rat - Inhalation  Carcinogenicity - Rat - Inhalation  Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic bon its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female  Eye damage/irritation - Rabbit  No eye irritation, (OECD Test Guideline 405)  Arms test, S. typhimurium, negative  IARC  2B - Group 2B: Possibly carcinogenic to humans (carbon black)  LD50 Dermal - Rabbit  > 3,000 mg/kg  LD50 Oral - Rat  No data available  No component of this product present at levels greater than or equal tool.1% is identified as a known or anticipated carcinogen by NTP  No component of this product present at levels greater than or equal tool.1% is identified as a carcinogen or potential carcinogen by NTP  No component of this product present at levels greater than or equal tool.1% is identified as a carcinogen or potential carcinogen by NTP  No component of this product present at levels greater than or equal tool.1% is identified as a carcinogen or potential carcinogen by NTP  No component of this product present at levels greater than or equal tool.1% is identified as a carcinogen or potential carcinogen by O |   | No reported data   |
| OSHA OSHA ON to component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity Respiratory or skin sensation No data available Skin irritation Specific target organ toxicity - repeated exposure Specific target organ toxicity - repeated exposure Carbon Black(1333-86-4) Aspiration hazard No data available Specific target organ toxicity - single exposure Carbon Black(1333-86-4) Aspiration hazard Carcinogenicity - Rat - Inhalation Tumorisenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies. Negative Eye damage/irritation - Rabbit No eye irritation, (OECD Test Guideline 405) Germ cell mutagenicity Ames test, S. typhimurium, negative Hamster - Ovary Negative IARC 2B - Group 2B: Possibly carcinogenic to humans (carbon black) LD50 Dermal - Rabbit > 3,000 mg/kg LD50 Oral - Rat No data available LD50 Oral - Rat No data available No component of this product present at levels greater than or equal too.1-% is identified as a carcinogen py NTP Organ toxicity Specific target organ toxicity - repeated exposure: No data available OSHA No component of this product present at levels greater than or 1% is identified as a carcinogen or potential carcinogen by OSHA No koata available No component of this product present at levels greater than or equal too.1-% is identified as a carcinogen or potential carcinogen by OSHA No koata available No component of this product present at levels greater than or equal too.1-% is identified as a carcinogen or potential carcinogen by OSHA No component of this product present at levels greater than or equal too.1-% is identified as a carcinogen or potential carcinogen by OSHA No component of this |   | 0.1% is identified as a probable, possible, or confirmed human carcinogen  |
| Reproductive toxicity Respiratory or skin sensation No data available No data available No data available Skin irritation No data available Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Specific target organ toxicity - single exposure Carbon Black(1333-86-4) Aspiration hazard Carcinogenicity - Rat - Inhalation Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female Eye damage/irritation - Rabbit No eye irritation, (OECD Test Guideline 405) Gern cell mutagenicity Ames test, S. typhimurium, negative Hamster - Ovary IARC 2B - Group 2B: Possibly carcinogenic to humans (carbon black) LD50 Dermal - Rabbit D50 Inhalation - Rat No data available LD50 Oral - Rat No data available D50 Oral - Rat No data available D50 Oral - Rat No component of this product present at levels greater than or equal too.1% is identified as a known or anticipated carcinogen by NTP Organ toxicity Specific target organ toxicity - single exposure: No data available No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA No skin irritation - 24 h, (OECD Test Guideline 404) Crystalline Silica(14808-60-7) Acute Inhalation toxicity No data available No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Inhalation toxicity No data available  | NTP   |  |
| Respiratory or skin sensation Skin irritation No data available No data available Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Carbon Black(1333-86-4) Aspiration hazard No data available Carcinogenicity - Rat - Inhalation Carcinogenicity - Rat - Inhalation Tumorigenic: Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumoris. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  No eye irritation. Imited evidence of carcinogenicity in animal studies.  No eye irritation, (OECD Test Guideline 405) Gern cell mutagenicity Ames test, S. typhimurium, negative Hamster - Ovary IARC 128 - Group 28: Possibly carcinogenic to humans (carbon black) LD50 Dermal - Rabbit LD50 Oral - Rat No data available LD50 Oral - Rat No data available LD50 Oral - Rat Specific target organ toxicity - repeated exposure: No data available Organ toxicity Specific target organ toxicity - repeated exposure: No data available OSHA No component of this product present at levels greater than or equal too.1% is identified as a carcinogen by OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA No data available No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA No data available No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA No data available No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as |   | 0.1% is identified as a carcinogen or potential carcinogen by OSHA   |
| Skin irritation   No data available  |   |  |
| Specific target organ toxicity - repeated exposure   |   |  |
| exposure Specific target organ toxicity - single exposure Carbon Black(1333-86-4) Aspiration hazard Carcinogenicity - Rat - Inhalation Carcinogenicity - Rat - Inhalation Carcinogenicity - Rat - Female Eye damage/irritation - Rabbit Sey damage/irritation - Rabbit No eye irritation, (OECD Test Guideline 405)  Carm cell mutagenicity Ames test, S. typhimurium, negative Hamster - Ovary Hamster - Ovary LD50 Dermal - Rabbit No data available LD50 Inhalation - Rat No data available No component of this product present at levels greater than or equal too.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity No data available Did not cause sensitization on laboratory animals, (OECD Test Guideline 401) No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity No data available Did not cause sensitization on laboratory animals, (OECD Test Guideline 404) Crystalline Silica(14808-60-7) Acute Dermal toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity No data available No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity No data available No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity No data available No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a |   | No data available  |
| Carbon Black(1333-86-4) Aspiration hazard  Carcinogenicity - Rat - Inhalation  Respiration: Tumoris, This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female  Eye damage/irritation - Rabbit  No eye irritation, (OECD Test Guideline 405)  Ames test, S. typhimurium, negative  Hamster - Ovary  IARC  2B - Group 2B: Possibly carcinogenic to humans (carbon black)  LD50 Dermal - Rabbit  DS0 Oral - Rat  No data available  LD50 Oral - Rat  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by NTP  Organ toxicity  Specific target organ toxicity - repeated exposure: No data available  OSHA  Reproductive toxicity  Respiratory/skin sensitization - Guinea pig  Did not cause sensitization on laboratory animals, (OECD Test Guideline 404)  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No tata available  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  No cat | exposure  |  |
| Aspiration hazard Carcinogenicity - Rat - Inhalation Carcinogenicity - Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female Negative Eye damage/irritation - Rabbit No eye irritation, (OECD Test Guideline 405) Carm cell mutagenicity Ames test, S. typhimurium, negative Negative LBG C DAG |   | No data available  |
| Carcinogenicity - Rat - Inhalation Respiration: Tumoris, This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female Reye damage/irritation - Rabbit No eye irritation, (OECD Test Guideline 405) Regern cell mutagenicity Ames test, S. typhimurium, negative Hamster - Ovary Negative IARC 2B - Group 2B: Possibly carcinogenic to humans (carbon black) LD50 Dermal - Rabbit LD50 Dermal - Rabbit LD50 Oral - Rat No data available LD50 Oral - Rat No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP Organ toxicity Specific target organ toxicity - repeated exposure: No data available OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity No data available Oid not cause sensitization on laboratory animals, (OECD Test Guideline 406) Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 404) Crystalline Silica(14808-60-7) ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Dermal toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Dermal toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Inhalation toxicity no data available  |   |  |
| Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.  DNA repair - Rat - Female  Eye damage/irritation - Rabbit  No eye irritation, (OECD Test Guideline 405)  Germ cell mutagenicity  Ames test, S. typhimurium, negative  Hamster - Ovary  Negative  IARC  2B - Group 2B: Possibly carcinogenic to humans (carbon black)  LD50 Dermal - Rabbit  > 3,000 mg/kg  LD50 Inhalation - Rat  No data available  LD50 Oral - Rat  No component of this product present at levels greater than or equal to 1.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity  Specific target organ toxicity - repeated exposure: No data available  OSHA  Reproductive toxicity  Respiratory/skin sensitization - Guinea pig  Skin corrosion/irritation  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Respiratory/skin sensitization - Guinea pig  Skin corrosion/irritation  No data available  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No data available  No data available  No kin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  | Aspiration hazard                               | No data available  |
| Eye damage/irritation - Rabbit No eye irritation, (OECD Test Guideline 405)  Germ cell mutagenicity Ames test, S. typhimurium, negative  Hamster - Ovary Negative  LARC 2B - Group 2B: Possibly carcinogenic to humans (carbon black)  LD50 Dermal - Rabbit > 3,000 mg/kg  LD50 Inhalation - Rat No data available  LD50 Oral - Rat > 8,000 mg/kg, male and female, (OECD Test Guideline 401)  NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity Specific target organ toxicity - repeated exposure: No data available  OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Respiratory/skin sensitization - Guinea pig Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity no data available   |   | Respiration: Tumors. This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.   |
| Germ cell mutagenicity  Hamster - Ovary  IARC  2B - Group 2B: Possibly carcinogenic to humans (carbon black)  LD50 Dermal - Rabbit  LD50 Inhalation - Rat  No data available  LD50 Oral - Rat  No component of this product present at levels greater than or equal too.1% is identified as a known or anticipated exposure: No data available  Organ toxicity  Specific target organ toxicity - repeated exposure: No data available  OSHA  Reproductive toxicity  Respiratory/skin sensitization - Guinea pig  Skin corrosion/irritation  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No data available  Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  Skin corrosion/irritation  No skin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  Acute Inhalation toxicity  no data available   |   | Negative   |
| Hamster - Ovary   Negative   | Eye damage/irritation - Rabbit                  | No eye irritation, (OECD Test Guideline 405)   |
| IARC  LD50 Dermal - Rabbit  D50 Inhalation - Rat  No data available  LD50 Oral - Rat  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated exposure: No data available  Organ toxicity  Organ toxicity  OSHA  Reproductive toxicity  Respiratory/skin sensitization - Guinea pig  Skin corrosion/irritation  Crystalline Silica(14808-60-7)  ACGIH  Acute Dermal toxicity  D0 data available  No data available  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated exposure: No data available  Specific target organ toxicity - repeated exposure: No data available  Specific target organ toxicity - single exposure: No data available  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No data available  Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  Skin corrosion/irritation  No skin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  | Germ cell mutagenicity                          | Ames test, S. typhimurium, negative  |
| LD50 Dermal - Rabbit > 3,000 mg/kg  LD50 Inhalation - Rat No data available  LD50 Oral - Rat > 8,000 mg/kg, male and female, (OECD Test Guideline 401)  NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity Specific target organ toxicity - repeated exposure: No data available  Organ toxicity Specific target organ toxicity - single exposure: No data available  OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No data available  Respiratory/skin sensitization - Guinea pig Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity no data available  Acute Inhalation toxicity no data available  | Hamster - Ovary                                 | Negative   |
| LD50 Inhalation - Rat  LD50 Oral - Rat  > 8,000 mg/kg, male and female, (OECD Test Guideline 401)  NTP  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity  Specific target organ toxicity - repeated exposure: No data available  Organ toxicity  Specific target organ toxicity - single exposure: No data available  OSHA  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity  Respiratory/skin sensitization - Guinea pig  Skin corrosion/irritation  Skin corrosion/irritation  Crystalline Silica(14808-60-7)  ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  Acute Inhalation toxicity  no data available   | IARC  | 2B - Group 2B: Possibly carcinogenic to humans (carbon black)  |
| NTP  | LD50 Dermal - Rabbit                            | > 3,000 mg/kg  |
| NTP  No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity Specific target organ toxicity - repeated exposure: No data available Organ toxicity Specific target organ toxicity - single exposure: No data available  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No data available  Respiratory/skin sensitization - Guinea pig Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Dermal toxicity no data available Acute Inhalation toxicity no data available   | LD50 Inhalation - Rat                           | No data available  |
| NTP  No component of this product present at levels greater than or equal to0.1% is identified as a known or anticipated carcinogen by NTP  Organ toxicity Specific target organ toxicity - repeated exposure: No data available  Organ toxicity Specific target organ toxicity - single exposure: No data available  No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No data available  Respiratory/skin sensitization - Guinea pig Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 406)  Skin corrosion/irritation No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Dermal toxicity no data available  Acute Inhalation toxicity no data available  | LD50 Oral - Rat                                 | > 8,000 mg/kg, male and female, (OECD Test Guideline 401)  |
| Organ toxicity OSHA No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity No data available Respiratory/skin sensitization - Guinea pig Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 406)  Skin corrosion/irritation No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Dermal toxicity No data available Acute Inhalation toxicity No data available  | NTP   | No component of this product present at levels greater than or equal to0.1% is identified as a known or anticipated carcinogen by NTP  |
| OSHA Reproductive toxicity Respiratory/skin sensitization - Guinea pig Skin corrosion/irritation Crystalline Silica(14808-60-7)  ACGIH Acute Dermal toxicity No component of this product present at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA  No data available Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  No skin irritation - 24 h, (OECD Test Guideline 404)  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  no data available Acute Inhalation toxicity no data available  |   |  |
| Reproductive toxicity Respiratory/skin sensitization - Guinea pig Skin corrosion/irritation Crystalline Silica(14808-60-7)  ACGIH Acute Dermal toxicity Indiana a carcinogen or potential carcinogen by OSHA No data available Did not cause sensitization on laboratory animals, (OECD Test Guideline 406) No skin irritation - 24 h, (OECD Test Guideline 404)  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH Acute Inhalation toxicity no data available no data available  | Organ toxicity                                  |  |
| Respiratory/skin sensitization - Guinea pig  Did not cause sensitization on laboratory animals, (OECD Test Guideline 406)  Skin corrosion/irritation  Crystalline Silica(14808-60-7)  ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  Acute Inhalation toxicity  Did not cause sensitization on laboratory animals, (OECD Test Guideline 404)  No skin irritation - 24 h, (OECD Test Guideline 404)  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  no data available  | OSHA  |  |
| Skin corrosion/irritation No skin irritation - 24 h, (OECD Test Guideline 404)  Crystalline Silica(14808-60-7)  ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity no data available  Acute Inhalation toxicity no data available  |   |  |
| Crystalline Silica(14808-60-7)  ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  Acute Inhalation toxicity  no data available   |   | 406)   |
| ACGIH  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH  Acute Dermal toxicity  no data available  Acute Inhalation toxicity  no data available   |   | No skin irritation - 24 h, (OECD Test Guideline 404)   |
| Acute Dermal toxicity no data available  Acute Inhalation toxicity no data available   | Crystalline Silica(14808-60-7)                  |  |
| Acute Inhalation toxicity no data available  | ACCTU   | No compared of this good out agreed to be seen that the control to   |
| Acute Inhalation toxicity no data available  | ACGIH   | ,  |
| Additional information Liver - Irregularities - based on human evidence  | Acute Dermal toxicity                           | 0.1% is identified as a carcinogen or potential carcinogen by ACGIH no data available  |
|  | Acute Dermal toxicity Acute Inhalation toxicity | 0.1% is identified as a carcinogen or potential carcinogen by ACGIH no data available no data available  |



| Additional information   | Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis. In advanced stage, loss of appetite, pleuric pain, and total incapacity to work. Advanced silicosis may result in death due to cardiac failure or destruction of lung tissue. Crystalline silica is classified as group 1 "known to be carcinogenic to humans" by IARC and "sufficient evidence" of carcinogenicity by the NTP., The chronic health risks are associated with respirable particles of 3-4 um over protracted periods of time. Currently, there is a limited understanding of the mechanisms of quartz toxicity, including its mechanisms for lung carcinogenicity. Additional studies are needed to determine whether the cell transforming activity of quartz is related to its carcinogenic potential. |
|--|---|
| Aspiration hazard  | no data available   |
| Carcinogenicity  | Limited evidence of carcinogenicity in human studies  |
|  |   |
| eye irritation   | no data available   |
| Germ cell mutagenicity   | no data available   |
| IARC   | Group 1: Carcinogenic to humans (Quartz)  |
|  | Vacuus to be human consiners (Our)  |
| NTP  | Known to be human carcinogen (Quartz)   |
| OSHA Paradisativa taxisity   | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA  |
| Reproductive toxicity  | no data available   |
| Respiratory or skin sensation  | no data available   |
| Skin irritation  | no data available   |
| Specific target organ toxicity - repeated  | may cause damage to organs through prolonged or repeated exposure   |
| exposure - inhalation  Specific target organ toxicity - repeated exposure - inhalation | no data available   |
|  | TIO Uata avaliable  |
| exposure   |   |
| Iron Oxide(1309-37-1)  |   |
| Acute toxicity   | No data available   |
| Acute toxicity - dermal  | `No data available  |
| Additional information   | Long term inhalation exposure to iron (oxide fume or dust) can cause  |
|  | siderosis. Siderosis is considered to be a benign pneumoconiosis and does not normally cause significant physiological impairment. Siderosis can be observed on x-rays with the lungs having a mottled appearance., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.   |
| Aspiration hazard  | No data available   |
| Carcinogenicity  | This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP or EPA classification.   |
| Carcinogenicity - rat - subcutaneous   | Equivocal tumorogenic agent by RTECS criteria. Tumors at site of appilcation.   |
| Eye irritation - human   | Moderate eye irritation   |
| Germ cell mutagenicity   | No data available   |
|  |   |
| IARC   | Group 3: not classifiable as to its carcinogeniciy to humans (diiron trioxide).   |
| NTP  | No component of this product present at levels greater than or equal to 0.1% is identified as a kown or anticpated carcinogen by NTP.   |
| OSHA   | No component of this product present at levels greater than or equal to 0.1% is identified as ca carcinogen or potential carcinogen by OSHA.  |
| Reproductive toxicity  | No data available   |
| Respiratory or skin sensitization  | No data available   |
| Skin irritation - human  | Skin irritation   |
| Specific target organ toxicity - repeated  | No data available   |
| exposure   |   |
| Specific target organ toxicity - single exposure                                       | inhalation - may cause respiratory irritation.  |
| Limestone(1317-65-3)   |   |
| ACGIH, IARC, NTP, CA Prop 65   | Not listed  |
| Draize test, rabbit, eye   | 750 ug/24H severe   |
| Draize test, rabbit, eye   |   |
|  | 500 mg/24H moderate   |
| Epidemiology   | No information available  |
| Mutagenicity   | No information available  |
| Neurotoxicity  | No information available  |
| Oral, rat: LD50  | 6450 mg/kg  |
| Reproductive effects   | No information available  |
| I VEDIOURCHAE GHECT2   | ווט וווטוווומנוטוו מימוומטופ  |



| Teratogenicity                             | No information available   |
|--|--|
| Titanium Dioxide(13463-67-7)               |  |
| Acute toxicity - inhalation                | No data available  |
| Acute toxicity - LD50 - dermal - rabbit    | > 10000 mg/kg  |
| Acute toxicity - LD50 - oral - rat         | > 10000 mg/kg  |
| Additional information                     | To the best of our knowledge, the chemical, physical, and toxicological          |
|  | properties have not been thoroughly investigated                                 |
| Aspiration hazard                          | No data available  |
| Eye irritation - rabbit                    | No eye irritation  |
| Germ cell mutagenicity - hamster - lungs   | DNA inhibition   |
| Germ cell mutagenicity - hamster - ovary - | No results available   |
| micronucleus test                          |  |
| Germ cell mutagenicity - hamster - ovary - | No results available   |
| sister chromatid exchange                  |  |
| Germ cell mutagenicity - mouse -           | No results available   |
| micronucleus test                          |  |
| IARC                                       | No component of this product present at levels greater than or equal to          |
|  | 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC |
| NTP  | No component of this product present at levels greater than or equal to          |
|  | 0.1% is identified as a known or anticipated carcinogen                          |
| OSHA                                       | No component of this product present at levels greater than or equal to          |
|  | 0.1% is identified as a carcinogen or potential carcinogen by OSHA               |
| Reproductive toxicity                      | No data available  |
| Respiration or skin sensitisation          | Will not occur   |
| Skin irritation - human                    | Mild skin irritation - 3 h   |
| Specific target organ toxicity - repeated  | No data available  |
| exposure                                   |  |
| Specific target organ toxicity - single    | No data available  |
| exposure                                   |  |

### 12. ECOLOGICAL INFORMATION

| 1,3,5-Triglycidyl Isocyanurate(2451-62-9)     |  |
|---|--|
| Bioaccumulative potential                     | No data available  |
| Mobility in soil                              | No data available  |
| Other adverse effects                         | An environmental hazard cannot be excluded in the event of                       |
|   | unprofessional handling or disposal. Harmful to aquatic life with long           |
|   | lasting effects  |
| PBT & vPvB                                    | not available/not required   |
| Persistence and degradability -               | 0.5 - 1% - not biodegradable   |
| biodegradability - aerobic - exposure time:   |  |
| 44 d  |  |
| Toxicity to algae - growth inhibition - EC50  | 29 - 30 mg/l - 72 h  |
| - Desmodesmus subspicatus                     |  |
| Toxicity to bacteria - Respiration inhibition | > 100 mg/l 3 h   |
| - IC50 - Sludge Treatment                     |  |
| Toxicity to daphnia and other aquatic         | > 100 mg/l - 24 h  |
| invertebrates - Immobilization - EC50 -       |  |
| daphnia magna (water flea)                    |  |
| Toxicity to fish - static test LC50 - danio   | > 77 mg/l - 96 h   |
| rerio (zebra fish)                            |  |
| 2-Mercaptobenzothiazole(149-30-4)             |  |
| Bioaccumulative potential -                   | 0.1 mg/L / 42 d  |
| bioaccumulation - carp                        | . 0 0  |
| Bioaccumulative potential -                   | < 0.8  |
| Bioconcentration factor                       | No data available  |
| Mobility in soil                              | No data available  |
| Other adverse effects                         | An environmental hazard cannot be excluded in the event of                       |
|   | unprofessional handling or disposal. Very toxic to aquatic life with long        |
| PBT and vPvB                                  | lasting effects.   |
| Persistence and degradability -               | Not available/not required  1% - not readily biodegradable - exposure time: 28 d |
| biodegradability - biotic/aerobic             | 170 - Hot readily blodegradable - exposure time: 20 d                            |
| Toxicity to algae - growth inhibition - EC50  | 0.5 mg/L - 72 h  |
| - green algae                                 | 0.5 mg/L - 72 m  |
| - yreerr argae                                |  |



| Toxicity to daphnia and other aquatic         | 0.71 mg/L / 48 h   |
|---|--|
| invertebrates - immobilization EC50 -         |  |
| Daphnia magna (water flea)                    | 0.70 // / 0.6 /  |
| Toxicity to fish - flow-through test - LC50 - | 0.73 mg/L / 96 h   |
| rainbow trout                                 |  |
| Barium Sulfate(7727-43-7)                     | No. 1 to a 1911.   |
| Bioaccumulative potential                     | No data available  |
| Mobility in soil                              | No data available  |
| PBT and vPvB                                  | not available/not required   |
| Persistence and degradability                 | The methods for determining biodegradability are not applicable in   |
| <del></del>                                   | inorganic substances   |
| Toxicity                                      | No data available  |
| Carbon Black(1333-86-4)                       |  |
| Bioaccumulative potential                     | No data available  |
| EC50 Toxicity to algae                        | Desmodesmus subspicatus (green algae > 10,000 mg/l - 72 h (OECD Test |
|   | Guideline 201)   |
| EC50 Toxicity to daphnia and other aquatic    | Daphnia magna (Water flea) > 5600 mg/l - 24 h (OECD Test Guideline   |
| invertebrates                                 | 202)   |
| Mobility in soil                              | No data available  |
| PBT and vPvB assessment                       | Not available/not required   |
| Persistence and degradability                 | No data available  |
| Toxicity to fish LC50                         | Danio rerio (zebra fish) >1000 mg/l - 96 h                           |
| Crystalline Silica(14808-60-7)                |  |
| Bioaccumulative potential                     | no data available  |
| Mobility in soil                              | no data available  |
| PBT and vPvB                                  | not available/not required   |
| Persistence and degradability                 | no data available  |
| Toxicity                                      | no data available  |
| Iron Oxide(1309-37-1)                         |  |
| Bioaccumulative potential                     | No data available  |
| Mobility in soil                              | No data available  |
| Other adverse effects                         | No data available  |
| PBT and vPvB                                  | Not available/not required   |
| Persisitence and degradability                | No data available  |
| Toxicity                                      | No data available  |
| Limestone(1317-65-3)                          |  |
| Ecotoxicity                                   | No data available  |
| Environmental                                 | No information reported  |
| Physical                                      | No information available   |
| Titanium Dioxide(13463-67-7)                  |  |
| Bioaccumulative potential                     | No data available  |
| Mobility in soil                              | No data available  |
| PBT and vPbV                                  | Not available/not required   |
| Persistence and degradability                 | No data available  |
| Toxicity to daphnia and other aquatic         | 1000 mg/L / 48 h   |
| invertebrates - EC0 - Daphnia magna           |  |
| (water flea)                                  |  |
| Toxicity to daphnia and other aquatic         | > 1000 mg/L / 48 h   |
| invertebrates - EC50 - Dapphnia magna         |  |
| (water flea)                                  |  |
| Toxicity to fish - LC50 - other fish          | > 1000 mg/L / 96 h   |

### **13. DISPOSAL CONSIDERATIONS**

### WASTE TREATMENT METHODS

**GENERAL INFORMATION:** No data available.

**DISPOSAL METHOD:** Dispose of in accordance with Local, State, Regional, National and International Regulations.

Ecology - waste materials: Avoid release to the environment.

**ISSUED:** 6/23/2016 **REFERENCE:** BR161-T012

#### 14. TRANSPORT INFORMATION

#### \*CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRICTIONS THAT MAY APPLY.

**USDOT GROUND** 

**DOT (DEPARTMENT OF TRANSPORTATION)** 

PROPER SHIPPING NAME (DOT): Not Regulated/Not Applicable

**HAZARDS CLASS:** None

UN/NA NUMBER: Not Applicable

**PACKING GROUP:** None

EMERGENCY RESPONSE GUIDE (ERG): Not Applicable

IATA (AIR)

**DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)** 

**PROPER SHIPPING NAME:** Not Regulated/Not Applicable

HAZARDS CLASS: Not Applicable UN/NA NUMBER: Not Applicable PACKING GROUP: Not Applicable

**EMERGENCY RESPONSE GUIDE (ERG):** Not Applicable

IMDG (OCEAN)

PROPER SHIPPING NAME: Not Regulated, Not Applicable

HAZARDS CLASS: Not Applicable UN/NA NUMBER: Not Applicable PACKING GROUP: Not Applicable

EMERGENCY RESPONSE GUIDE (ERG): Not Applicable

**MARINE POLLUTANT:** No

SPECIAL PRECAUTIONS: P235 Keep cool.



**ISSUED:** 6/23/2016 **REFERENCE:** BR161-T012

#### 15. REGULATORY INFORMATION

US FEDERAL REGULATIONS
All ingredients are TSCA (Toxic Substance Control Act) listed.

OSHA HAZARDS: Moderate skin irritant, Moderate eye irritant.

**EPCRA - Emergency** 

**CERCLA REPORTABLE QUANTITY** 

**SARA 304 Extremely Hazardous Substances Reportable Quantity:** This material does not contain any components with a section 304 EHS RQ.

### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SARA 311/312 Hazards: Acute Health Hazard, Chronic Health Hazard.

| This product contains:         | Chemical CAS# |
|--------------------------------|---------------|
| 1,3,5-Triglycidyl Isocyanurate | 2451-62-9     |
| Titanium Dioxide               | 13463-67-7    |
| Carbon Black                   | 1333-86-4     |

SARA 313: No SARA 313 chemicals are present

### **CLEAN AIR ACT:**

#### INTERNATIONAL REGULATIONS

### CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP):

Eye Dam. 1 H318 Causes serious eye damage
Skin Sens. 1 H317 May cause an allergic skin reaction
Muta. 1B H340 May cause genetic defects
Carc. 2 H351 Suspected of causing cancer

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects

#### **NATIONAL REGULATIONS**

| This product contains: | Chemical CAS# |
|------------------------|---------------|
| #Titanium Dioxide      | 13463-67-7    |
| #Carbon Black          | 1333-86-4     |
| *Crystalline Silica    | 14808-60-7    |

#### National Regulations Key

# Indicates a chemical listed by IARC as a possible carcinogen.

# STATE REGULATIONS CALIFORNIA PROPOSITION 65

| This product contains: | Chemical CAS# |
|------------------------|---------------|
| *Crystalline Silica    | 14808-60-7    |

#### California Proposition 65 Key



**ISSUED:** 6/23/2016 **REFERENCE:** BR161-T012

- \*This product contains (a) chemical (s) known to the State of California to cause cancer.
- #This product contains (a) chemical (s) known to the State of California to be carcinogenic.
- +This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

### Massachusetts Right to Know

| This product contains | Chemical CAS# |
|-----------------------|---------------|
| Limestone             | 1317-65-3     |
| Barium Sulfate        | 7727-43-7     |
| Titanium Dioxide      | 13463-67-7    |
| Iron Oxide            | 1309-37-1     |
| Carbon Black          | 1333-86-4     |
| Crystalline Silica    | 14808-60-7    |

### Pennsylvania Right to Know

| This product contains   | Chemical CAS# |  |
|-------------------------|---------------|--|
| Limestone               | 1317-65-3     |  |
| Barium Sulfate          | 7727-43-7     |  |
| Titanium Dioxide        | 13463-67-7    |  |
| Iron Oxide              | 1309-37-1     |  |
| Carbon Black            | 1333-86-4     |  |
| Crystalline Silica      | 14808-60-7    |  |
| 2-Mercaptobenzothiazole | 149-30-4      |  |

### **New Jersey Right to Know**

| This product contains          | Chemical CAS# |
|--------------------------------|---------------|
| Limestone                      | 1317-65-3     |
| Barium Sulfate                 | 7727-43-7     |
| 1,3,5-Triglycidyl Isocyanurate | 2451-62-9     |
| Titanium Dioxide               | 13463-67-7    |
| Iron Oxide                     | 1309-37-1     |
| Carbon Black                   | 1333-86-4     |
| Crystalline Silica             | 14808-60-7    |
| 2-Mercaptobenzothiazole        | 149-30-4      |



#### **16. OTHER INFORMATION**

### **Other Product Information:**

% Volatile by Volume: 0.00 % Volatile by Weight: 0.00 % Solids by volume: % Solids by Weight: 100.00 100.00


### **VOC CONTENT:**

Content tested per EPA METHOD 24, ASTM D2369 is less than 1% Wt/Wt.

#### **HMIS RATING**

| Health :              | 2 |
|-----------------------|---|
| Flammability :        | 1 |
| Reactivity:           | 0 |
| Personal Protection : | Е |

### **NFPA CODES**



**MANUFACTURER DISCLAIMER:** The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Paint and Powder makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.